

Package ‘iai’

June 13, 2023

Type Package

Title Interface to 'Interpretable AI' Modules

Version 1.10.0

Description An interface to the algorithms of 'Interpretable AI' <<https://www.interpretable.ai>> from the R programming language. 'Interpretable AI' provides various modules, including 'Optimal Trees' for classification, regression, prescription and survival analysis, 'Optimal Imputation' for missing data imputation and outlier detection, and 'Optimal Feature Selection' for exact sparse regression. The 'iai' package is an open-source project. The 'Interpretable AI' software modules are proprietary products, but free academic and evaluation licenses are available.

URL <https://www.interpretable.ai>

SystemRequirements Julia (>= 1.0) and Interpretable AI System Image (>= 1.0.0)

License MIT + file LICENSE

Imports JuliaCall (>= 0.17.5), stringr, rlang, lifecycle, rappdirs, ggplot2, cowplot, rjson

RoxygenNote 7.2.3

Suggests testthat, covr, xml2, withr

NeedsCompilation no

Author Jack Dunn [aut, cre],
Ying Zhuo [aut],
Interpretable AI LLC [cph]

Maintainer Jack Dunn <jack@interpretable.ai>

Repository CRAN

Date/Publication 2023-06-13 16:10:06 UTC

R topics documented:

acquire_license	7
add_julia_processes	7

all_treatment_combinations	8
apply	8
apply_nodes	9
as.mixeddata	9
autoplot.grid_search	10
autoplot.roc_curve	11
autoplot.similarity_comparison	11
autoplot.stability_analysis	12
categorical_classification_reward_estimator	13
categorical_regression_reward_estimator	13
categorical_reward_estimator	14
categorical_survival_reward_estimator	15
cleanup_installation	15
clone	16
convert_treatments_to_numeric	16
copy_splits_and_refit_leaves	17
decision_path	17
delete_rich_output_param	18
equal_propensity_estimator	18
fit	19
fit.grid_search	19
fit.imputation_learner	20
fit.learner	21
fit.optimal_feature_selection_learner	21
fit_and_expand	22
fit_cv	23
fit_predict	23
fit_predict.categorical_reward_estimator	24
fit_predict.numeric_reward_estimator	24
fit_transform	25
fit_transform_cv	26
get_best_params	27
get_classification_label	27
get_classification_label.classification_tree_learner	28
get_classification_label.classification_tree_multi_learner	28
get_classification_proba	29
get_classification_proba.classification_tree_learner	29
get_classification_proba.classification_tree_multi_learner	30
get_cluster_assignments	30
get_cluster_details	31
get_cluster_distances	32
get_depth	32
get_estimation_densities	33
get_features_used	33
get_grid_results	34
get_grid_result_details	34
get_grid_result_summary	35
get_learner	35

get_lower_child	36
get_machine_id	36
get_num_fits	37
get_num_fits.glmnetcv_learner	37
get_num_fits.optimal_feature_selection_learner	38
get_num_nodes	38
get_num_samples	39
get_params	39
get_parent	40
get_policy_treatment_outcome	40
get_policy_treatment_outcome_standard_error	41
get_policy_treatment_rank	41
get_prediction_constant	42
get_prediction_constant.glmnetcv_learner	42
get_prediction_constant.optimal_feature_selection_learner	43
get_prediction_weights	44
get_prediction_weights.glmnetcv_learner	44
get_prediction_weights.optimal_feature_selection_learner	45
get_prescription_treatment_rank	45
get_regression_constant	46
get_regression_constant.classification_tree_learner	46
get_regression_constant.classification_tree_multi_learner	47
get_regression_constant.prescription_tree_learner	48
get_regression_constant.regression_tree_learner	48
get_regression_constant.regression_tree_multi_learner	49
get_regression_constant.survival_tree_learner	49
get_regression_weights	50
get_regression_weights.classification_tree_learner	50
get_regression_weights.classification_tree_multi_learner	51
get_regression_weights.prescription_tree_learner	52
get_regression_weights.regression_tree_learner	52
get_regression_weights.regression_tree_multi_learner	53
get_regression_weights.survival_tree_learner	53
get_rich_output_params	54
get_roc_curve_data	54
get_split_categories	55
get_split_feature	56
get_split_threshold	56
get_split_weights	57
get_stability_results	57
get_survival_curve	58
get_survival_curve_data	58
get_survival_expected_time	59
get_survival_hazard	59
get_train_errors	60
get_tree	60
get_upper_child	61
glmnetcv_classifier	62

glmnetcv_regressor	62
glmnetcv_survival_learner	63
grid_search	63
iai_setup	64
imputation_learner	64
impute	65
impute_cv	66
install_julia	66
install_system_image	67
is_categoric_split	68
is_hyperplane_split	68
is_leaf	69
is_mixed_ordinal_split	69
is_mixed_parallel_split	70
is_ordinal_split	70
is_parallel_split	71
load_graphviz	71
mean_imputation_learner	72
missing_goes_lower	72
multi_questionnaire	73
multi_questionnaire.default	73
multi_questionnaire.grid_search	74
multi_tree_plot	75
multi_tree_plot.default	75
multi_tree_plot.grid_search	76
numeric_classification_reward_estimator	77
numeric_regression_reward_estimator	77
numeric_reward_estimator	78
numeric_survival_reward_estimator	79
optimal_feature_selection_classifier	79
optimal_feature_selection_regressor	80
optimal_tree_classifier	81
optimal_tree_multi_classifier	81
optimal_tree_multi_regressor	82
optimal_tree_policy_maximizer	82
optimal_tree_policy_minimizer	83
optimal_tree_prescription_maximizer	83
optimal_tree_prescription_minimizer	84
optimal_tree_regressor	84
optimal_tree_survival_learner	85
optimal_tree_survivor	85
opt_knn_imputation_learner	86
opt_svm_imputation_learner	86
opt_tree_imputation_learner	87
plot.grid_search	87
plot.roc_curve	88
plot.similarity_comparison	88
plot.stability_analysis	89

predict	90
predict.categorical_reward_estimator	90
predict.glmnetcv_learner	91
predict.numeric_reward_estimator	91
predict.optimal_feature_selection_learner	92
predict.supervised_learner	93
predict.supervised_multi_learner	93
predict.survival_learner	94
predict_expected_survival_time	95
predict_expected_survival_time.glmnetcv_survival_learner	95
predict_expected_survival_time.survival_curve	96
predict_expected_survival_time.survival_learner	96
predict_hazard	97
predict_hazard.glmnetcv_survival_learner	97
predict_hazard.survival_learner	98
predict_outcomes	99
predict_outcomes.policy_learner	99
predict_outcomes.prescription_learner	100
predict_proba	100
predict_proba.classification_learner	101
predict_proba.classification_multi_learner	101
predict_proba.glmnetcv_classifier	102
predict_reward	103
predict_reward.categorical_reward_estimator	103
predict_reward.numeric_reward_estimator	104
predict_shap	104
predict_treatment_outcome	105
predict_treatment_outcome_standard_error	106
predict_treatment_rank	106
print_path	107
prune_trees	108
questionnaire	108
questionnaire.optimal_feature_selection_learner	109
questionnaire.tree_learner	109
random_forest_classifier	110
random_forest_regressor	110
random_forest_survival_learner	111
rand_imputation_learner	112
read_json	112
refit_leaves	113
release_license	113
reset_display_label	114
resume_from_checkpoint	114
reward_estimator	115
roc_curve	115
roc_curve.classification_learner	116
roc_curve.classification_multi_learner	116
roc_curve.default	117

roc_curve.glmnetcv_classifier	118
score	118
score.categorical_reward_estimator	119
score.default	119
score.glmnetcv_learner	120
score.numeric_reward_estimator	121
score.optimal_feature_selection_learner	121
score.supervised_learner	122
score.supervised_multi_learner	123
set_display_label	123
set_julia_seed	124
set_params	124
set_reward_kernel_bandwidth	125
set_rich_output_param	125
set_threshold	126
show_in_browser	126
show_in_browser.abstract_visualization	127
show_in_browser.roc_curve	127
show_in_browser.tree_learner	128
show_questionnaire	128
show_questionnaire.optimal_feature_selection_learner	129
show_questionnaire.tree_learner	129
similarity_comparison	130
single_knn_imputation_learner	131
split_data	131
stability_analysis	132
transform	133
transform_and_expand	133
tree_plot	134
tune_reward_kernel_bandwidth	134
variable_importance	135
variable_importance.learner	135
variable_importance.optimal_feature_selection_learner	136
variable_importance.tree_learner	136
variable_importance_similarity	137
write_booster	138
write_dot	138
write_html	139
write_html.abstract_visualization	139
write_html.roc_curve	140
write_html.tree_learner	140
write_json	141
write_pdf	142
write_png	142
write_questionnaire	143
write_questionnaire.optimal_feature_selection_learner	143
write_questionnaire.tree_learner	144
write_svg	145

`acquire_license` 7

`xgboost_classifier` 145
`xgboost_regressor` 146
`xgboost_survival_learner` 146
`zero_imputation_learner` 147

Index 148

`acquire_license` *Acquire an IAI license for the current session.*

Description

Julia Equivalent: `IAI.acquire_license`

Usage

```
acquire_license(...)
```

Arguments

... Refer to the Julia documentation for available parameters

IAI Compatibility

Requires IAI version 3.1 or higher.

Examples

```
## Not run: iai::acquire_license()
```

`add_julia_processes` *Add additional Julia worker processes to parallelize workloads*

Description

Julia Equivalent: `Distributed.addprocs!`

Usage

```
add_julia_processes(...)
```

Arguments

... Refer to the Julia documentation for available parameters

Details

For more information, refer to the [documentation on parallelization](#)

Examples

```
## Not run: iai::add_julia_processes(3)
```

```
all_treatment_combinations
```

Return a dataframe containing all treatment combinations of one or more treatment vectors, ready for use as treatment candidates in 'fit_predict' or 'predict'

Description

Julia Equivalent: [IAI.all_treatment_combinations](#)

Usage

```
all_treatment_combinations(...)
```

Arguments

... A vector of possible options for each treatment

Examples

```
## Not run: iai::all_treatment_combinations(c(1, 2, 3))
```

```
apply
```

Return the leaf index in a tree model into which each point in the features falls

Description

Julia Equivalent: [IAI.apply](#)

Usage

```
apply(lnr, X)
```

Arguments

lnr The learner or grid to query.
X The features of the data.

Examples

```
## Not run: iai::apply(lnr, X)
```

apply_nodes	<i>Return the indices of the points in the features that fall into each node of a trained tree model</i>
-------------	--

Description

Julia Equivalent: [IAI.apply_nodes](#)

Usage

```
apply_nodes(lnr, X)
```

Arguments

lnr	The learner or grid to query.
X	The features of the data.

Examples

```
## Not run: iai::apply_nodes(lnr, X)
```

as.mixeddata	<i>Convert a vector of values to IAI mixed data format</i>
--------------	--

Description

Julia Equivalent: [IAI.make_mixed_data](#)

Usage

```
as.mixeddata(values, categorical_levels, ordinal_levels = c())
```

Arguments

values	The vector of values to convert
categorical_levels	The values in values to treat as categoric levels
ordinal_levels	(optional) The values in values to treat as ordinal levels, in the order supplied

Examples

```
## Not run:
df <- iris
set.seed(1)
df$mixed <- rnorm(150)
df$mixed[1:5] <- NA # Insert some missing values
df$mixed[6:10] <- "Not graded"
df$mixed <- iai::as.mixeddata(df$mixed, c("Not graded"))

## End(Not run)
```

autoplot.grid_search *Construct a [R](https://ggplot2.tidyverse.org/reference/ggplot.html) `ggplot2::ggplot` object plotting grid search results for Optimal Feature Selection learners*

Description

Construct a `ggplot2::ggplot` object plotting grid search results for Optimal Feature Selection learners

Usage

```
## S3 method for class 'grid_search'
autoplot(object, type = stop("`type` is required"), ...)
```

Arguments

object	The grid search to plot
type	The type of plot to construct (either "validation" or "importance", for more information refer to the Julia documentation for plotting grid search results)
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: ggplot2::autoplot(grid)
```

autoplot.roc_curve	<i>Construct a R <code>ggplot2::ggplot</code> object plotting the ROC curve</i>
--------------------	---

Description

Construct a `ggplot2::ggplot` object plotting the ROC curve

Usage

```
## S3 method for class 'roc_curve'  
autoplot(object, ...)
```

Arguments

object	The ROC curve to plot
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: ggplot2::autoplot(roc)
```

autoplot.similarity_comparison	<i>Construct a R <code>ggplot2::ggplot</code> object plotting the results of the similarity comparison</i>
--------------------------------	--

Description

Construct a `ggplot2::ggplot` object plotting the results of the similarity comparison

Usage

```
## S3 method for class 'similarity_comparison'  
autoplot(object, ...)
```

Arguments

object	The similarity comparison to plot
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: ggplot2::autoplot(similarity)
```

```
autoplot.stability_analysis
```

Construct a [R](https://ggplot2.tidyverse.org/reference/ggplot.html) `ggplot2::ggplot` object plotting the results of the stability analysis

Description

Construct a `ggplot2::ggplot` object plotting the results of the stability analysis

Usage

```
## S3 method for class 'stability_analysis'  
autoplot(object, ...)
```

Arguments

object	The stability analysis to plot
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: ggplot2::autoplot(stability)
```

`categorical_classification_reward_estimator`

Learner for conducting reward estimation with categorical treatments and classification outcomes

Description

Julia Equivalent: `IAI.CategoricalClassificationRewardEstimator`

Usage

```
categorical_classification_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::categorical_classification_reward_estimator()
```

`categorical_regression_reward_estimator`

Learner for conducting reward estimation with categorical treatments and regression outcomes

Description

Julia Equivalent: `IAI.CategoricalRegressionRewardEstimator`

Usage

```
categorical_regression_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::categorical_regression_reward_estimator()
```

categorical_reward_estimator

Learner for conducting reward estimation with categorical treatments

Description

This function was deprecated in iai 1.6.0, and [categorical_classification_reward_estimator()] or [categorical_classification_reward_estimator()] should be used instead.

Usage

```
categorical_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Details

This deprecation is no longer supported as of the IAI v3 release.

IAI Compatibility

Requires IAI version 2.0, 2.1 or 2.2.

Examples

```
## Not run: lnr <- iai::categorical_reward_estimator()
```

`categorical_survival_reward_estimator`

Learner for conducting reward estimation with categorical treatments and survival outcomes

Description

Julia Equivalent: `IAI.CategoricalSurvivalRewardEstimator`

Usage

```
categorical_survival_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::categorical_survival_reward_estimator()
```

`cleanup_installation` *Remove all traces of automatic Julia/IAI installation*

Description

Removes files created by `install_julia` and `install_system_image`

Usage

```
cleanup_installation()
```

Examples

```
## Not run: iai::cleanup_installation()
```

clone	<i>Return an unfitted copy of a learner with the same parameters</i>
-------	--

Description

Julia Equivalent: `IAI.clone`

Usage

```
clone(lnr)
```

Arguments

lnr The learner to copy.

Examples

```
## Not run: new_lnr <- iai::clone(lnr)
```

convert_treatments_to_numeric	<i>Convert 'treatments' from symbol/string format into numeric values.</i>
-------------------------------	--

Description

Julia Equivalent: `IAI.convert_treatments_to_numeric`

Usage

```
convert_treatments_to_numeric(treatments)
```

Arguments

treatments The treatments to convert

Examples

```
## Not run: iai::convert_treatments_to_numeric(c("1", "2", "3"))
```

```
copy_splits_and_refit_leaves
```

Copy the tree split structure from one learner into another and refit the models in each leaf of the tree using the supplied data

Description

Julia Equivalent: `IAI.copy_splits_and_refit_leaves!`

Usage

```
copy_splits_and_refit_leaves(new_lnr, orig_lnr, ...)
```

Arguments

<code>new_lnr</code>	The learner to modify and refit
<code>orig_lnr</code>	The learner from which to copy the tree split structure
<code>...</code>	Refer to the Julia documentation for available parameters

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::copy_splits_and_refit_leaves(new_lnr, orig_lnr, ...)
```

```
decision_path
```

Return a matrix where entry (i, j) is true if the ith point in the features passes through the jth node in a trained tree model.

Description

Julia Equivalent: `IAI.decision_path`

Usage

```
decision_path(lnr, X)
```

Arguments

<code>lnr</code>	The learner or grid to query.
<code>X</code>	The features of the data.

Examples

```
## Not run: iai::decision_path(lnr, X)
```

```
delete_rich_output_param
```

Delete a global rich output parameter

Description

Julia Equivalent: `IAI.delete_rich_output_param!`

Usage

```
delete_rich_output_param(key)
```

Arguments

key The parameter to delete.

Examples

```
## Not run: iai::delete_rich_output_param("simple_layout")
```

```
equal_propensity_estimator
```

Learner that estimates equal propensity for all treatments.

Description

For use with data from randomized experiments where treatments are known to be randomly assigned.

Usage

```
equal_propensity_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.EqualPropensityEstimator`

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::equal_propensity_estimator()
```

fit	<i>Generic function for fitting a learner.</i>
-----	--

Description

Generic function for fitting a learner.

Usage

```
fit(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

fit.grid_search	<i>Fits a grid_search to the training data</i>
-----------------	--

Description

Julia Equivalent: [IAI.fit!](#)

Usage

```
## S3 method for class 'grid_search'
fit(obj, X, ...)
```

Arguments

obj	The grid search to fit.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Examples

```
## Not run:
X <- iris[, 1:4]
y <- iris$Species
grid <- iai::grid_search(
  iai::optimal_tree_classifier(max_depth = 1),
)
iai::fit(grid, X, y)

## End(Not run)
```

fit.imputation_learner

Fits an imputation learner to the training data.

Description

Additional keyword arguments are available for fitting imputation learners - please refer to the Julia documentation.

Usage

```
## S3 method for class 'imputation_learner'
fit(obj, X, ...)
```

Arguments

obj	The learner or grid to fit.
X	The features of the data.
...	Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: **IAI.fit!**

Examples

```
## Not run: iai::fit(lnr, X)
```

fit.learner	<i>Fits a model to the training data</i>
-------------	--

Description

Julia Equivalent: `IAI.fit!`

Usage

```
## S3 method for class 'learner'
fit(obj, X, ...)
```

Arguments

obj	The learner to fit.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::fit(lnr, X, y)
```

fit.optimal_feature_selection_learner	<i>Fits an Optimal Feature Selection learner to the training data</i>
---------------------------------------	---

Description

When the `coordinated_sparsity` parameter of the learner is `TRUE`, additional keyword arguments are required - please refer to the Julia documentation.

Usage

```
## S3 method for class 'optimal_feature_selection_learner'
fit(obj, X, ...)
```

Arguments

obj	The learner or grid to fit.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.fit!`

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::fit(lnr, X)
```

fit_and_expand	<i>Fit an imputation learner with training features and create adaptive indicator features to encode the missing pattern</i>
----------------	--

Description

Julia Equivalent: `IAI.fit_and_expand!`

Usage

```
fit_and_expand(lnr, X, ...)
```

Arguments

lnr	The learner to use for imputation.
X	The dataframe in which to impute missing values.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: lnr <- iai::fit_and_expand(lnr, X, type = "finite")
```

fit_cv	<i>Fits a grid search to the training data with cross-validation</i>
--------	--

Description

Julia Equivalent: `IAI.fit_cv!`

Usage

```
fit_cv(grid, X, ...)
```

Arguments

grid	The grid to fit.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Examples

```
## Not run:
X <- iris[, 1:4]
y <- iris$Species
grid <- iai::grid_search(
  iai::optimal_tree_classifier(max_depth = 1),
)
iai::fit_cv(grid, X, y)

## End(Not run)
```

fit_predict	<i>Generic function for fitting a reward estimator on features, treatments and returning predicted counterfactual rewards and scores of the internal estimators.</i>
-------------	--

Description

Julia Equivalent: `IAI.fit_predict!`

Usage

```
fit_predict(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
fit_predict.categorical_reward_estimator
```

Fit a categorical reward estimator on features, treatments and outcomes and return predicted counterfactual rewards for each observation, under each treatment observed in the data, as well as the scores of the internal estimators.

Description

Julia Equivalent: `IAI.fit_predict!`

Usage

```
## S3 method for class 'categorical_reward_estimator'
fit_predict(obj, X, treatments, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for estimation
<code>X</code>	The features of the data.
<code>treatments</code>	The treatment applied to each point in the data.
<code>...</code>	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::fit_predict(obj, X, treatments, outcomes)
```

```
fit_predict.numeric_reward_estimator
```

Fit a numeric reward estimator on features, treatments and outcomes and return predicted counterfactual rewards for each observation, under each treatment candidate, as well as the scores of the internal estimators.

Description

Julia Equivalent: `IAI.fit_predict!`

Usage

```
## S3 method for class 'numeric_reward_estimator'
fit_predict(obj, X, treatments, ...)
```

Arguments

obj	The learner or grid to use for estimation
X	The features of the data.
treatments	The treatment applied to each point in the data.
...	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::fit_predict(obj, X, treatments, outcomes)
```

fit_transform	<i>Fit an imputation model using the given features and impute the missing values in these features</i>
---------------	---

Description

Similar to calling `fit.imputation_learner` followed by `transform`

Usage

```
fit_transform(lnr, X, ...)
```

Arguments

lnr	The learner or grid to use for imputation
X	The features of the data.
...	Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.fit_transform!`

Examples

```
## Not run:
X <- iris
X[1, 1] <- NA
grid <- iai::grid_search(
  iai::imputation_learner(),
  method = c("opt_knn", "opt_tree"),
)
iai::fit_transform(grid, X)

## End(Not run)
```

fit_transform_cv	<i>Train a grid using cross-validation with features and impute all missing values in these features</i>
------------------	--

Description

Julia Equivalent: [IAI.fit_transform_cv!](#)

Usage

```
fit_transform_cv(grid, X, ...)
```

Arguments

grid	The grid to use for imputation
X	The features of the data.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run:
X <- iris
X[1, 1] <- NA
grid <- iai::grid_search(
  iai::imputation_learner(),
  method = c("opt_knn", "opt_tree"),
)
iai::fit_transform_cv(grid, X)

## End(Not run)
```

get_best_params *Return the best parameter combination from a grid*

Description

Julia Equivalent: `IAI.get_best_params`

Usage

```
get_best_params(grid)
```

Arguments

grid The grid search to query.

Examples

```
## Not run: iai::get_best_params(grid)
```

get_classification_label
Generic function for returning the predicted label in the node of a classification tree

Description

Generic function for returning the predicted label in the node of a classification tree

Usage

```
get_classification_label(obj, ...)
```

Arguments

obj The object controlling which method is used
... Arguments depending on the specific method used

```
get_classification_label.classification_tree_learner
    Return the predicted label at a node of a tree
```

Description

Julia Equivalent: `IAI.get_classification_label`

Usage

```
## S3 method for class 'classification_tree_learner'
get_classification_label(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_classification_label(lnr, 1)
```

```
get_classification_label.classification_tree_multi_learner
    Return the predicted label at a node of a multi-task tree
```

Description

Julia Equivalent: `IAI.get_classification_label` and `IAI.get_classification_label`

Usage

```
## S3 method for class 'classification_tree_multi_learner'
get_classification_label(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_classification_label(lnr, 1)
```

```
get_classification_proba
```

Generic function for returning the probabilities of class membership at a node of a classification tree

Description

Generic function for returning the probabilities of class membership at a node of a classification tree

Usage

```
get_classification_proba(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
get_classification_proba.classification_tree_learner
```

Return the predicted probabilities of class membership at a node of a tree

Description

Julia Equivalent: `IAI.get_classification_proba`

Usage

```
## S3 method for class 'classification_tree_learner'
get_classification_proba(obj, node_index, ...)
```

Arguments

obj	The learner to query.
node_index	The node in the tree to query.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_classification_proba(lnr, 1)
```

```
get_classification_proba.classification_tree_multi_learner
```

Return the predicted probabilities of class membership at a node of a multi-task tree

Description

Julia Equivalent: `IAI.get_classification_proba` and `IAI.get_classification_proba`

Usage

```
## S3 method for class 'classification_tree_multi_learner'
get_classification_proba(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_classification_proba(lnr, 1)
```

```
get_cluster_assignments
```

Return the indices of the trees assigned to each cluster, under the clustering of a given number of trees

Description

Julia Equivalent: `IAI.get_cluster_assignments`

Usage

```
get_cluster_assignments(stability, num_trees)
```

Arguments

stability The stability analysis to query
num_trees The number of trees to include in the clustering

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_cluster_assignments(stability, num_trees)
```

get_cluster_details *Return the centroid information for each cluster, under the clustering of a given number of trees*

Description

Julia Equivalent: `IAI.get_cluster_details`

Usage

```
get_cluster_details(stability, num_trees)
```

Arguments

stability The stability analysis to query
num_trees The number of trees to include in the clustering

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_cluster_details(stability, num_trees)
```

`get_cluster_distances` *Return the distances between the centroids of each pair of clusters, under the clustering of a given number of trees*

Description

Julia Equivalent: `IAI.get_cluster_distances`

Usage

```
get_cluster_distances(stability, num_trees)
```

Arguments

<code>stability</code>	The stability analysis to query
<code>num_trees</code>	The number of trees to include in the clustering

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_cluster_distances(stability, num_trees)
```

`get_depth` *Get the depth of a node of a tree*

Description

Julia Equivalent: `IAI.get_depth`

Usage

```
get_depth(lnr, node_index)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.

Examples

```
## Not run: iai::get_depth(lnr, 1)
```

`get_estimation_densities`

Return the total kernel density surrounding each treatment candidate for the propensity/outcome estimation problems in a fitted learner.

Description

Julia Equivalent: `IAI.get_estimation_densities`

Usage

```
get_estimation_densities(lnr, ...)
```

Arguments

<code>lnr</code>	The learner from which to extract densities
<code>...</code>	Refer to the Julia documentation for other parameters

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_estimation_densities(lnr, ...)
```

`get_features_used` *Return the names of the features used by the learner*

Description

Julia Equivalent: `IAI.get_features_used`

Usage

```
get_features_used(lnr)
```

Arguments

<code>lnr</code>	The learner to query.
------------------	-----------------------

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_features_used(lnr)
```

```
get_grid_results      Return a summary of the results from the grid search
```

Description

This function was deprecated and renamed to [get_grid_result_summary()] in iai 1.5.0. This is for consistency with the IAI v2.2.0 Julia release.

Usage

```
get_grid_results(grid)
```

Arguments

grid The grid search to query.

Examples

```
## Not run: iai::get_grid_results(grid)
```

```
get_grid_result_details
      Return a vector of lists detailing the results of the grid search
```

Description

Julia Equivalent: `IAI.get_grid_result_details`

Usage

```
get_grid_result_details(grid)
```

Arguments

grid The grid search to query.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_grid_result_details(grid)
```

`get_grid_result_summary`*Return a summary of the results from the grid search*

Description

Julia Equivalent: `IAI.get_grid_result_summary`

Usage`get_grid_result_summary(grid)`**Arguments**

`grid` The grid search to query.

Examples

```
## Not run: iai::get_grid_result_summary(grid)
```

`get_learner`*Return the fitted learner using the best parameter combination from a grid*

Description

Julia Equivalent: `IAI.get_learner`

Usage`get_learner(grid)`**Arguments**

`grid` The grid to query.

Examples

```
## Not run: lnr <- iai::get_learner(grid)
```

get_lower_child	<i>Get the index of the lower child at a split node of a tree</i>
-----------------	---

Description

Julia Equivalent: `IAI.get_lower_child`

Usage

```
get_lower_child(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::get_lower_child(lnr, 1)
```

get_machine_id	<i>Return the machine ID for the current computer.</i>
----------------	--

Description

This ID ties the IAI license file to your machine.

Usage

```
get_machine_id()
```

Examples

```
## Not run: iai::get_machine_id()
```

get_num_fits	<i>Generic function for returning the number of fits in a trained learner</i>
--------------	---

Description

Generic function for returning the number of fits in a trained learner

Usage

```
get_num_fits(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

get_num_fits.glmnetcv_learner	<i>Return the number of fits along the path in a trained GLMNet learner</i>
-------------------------------	---

Description

Julia Equivalent: `IAI.get_num_fits`

Usage

```
## S3 method for class 'glmnetcv_learner'
get_num_fits(obj, ...)
```

Arguments

obj	The GLMNet learner to query.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::get_num_fits(lnr)
```

```
get_num_fits.optimal_feature_selection_learner
```

Return the number of fits along the path in a trained Optimal Feature Selection learner

Description

Julia Equivalent: `IAI.get_num_fits`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
get_num_fits(obj, ...)
```

Arguments

`obj` The Optimal Feature Selection learner to query.
`...` Additional arguments (unused)

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::get_num_fits(lnr)
```

```
get_num_nodes
```

Return the number of nodes in a trained learner

Description

Julia Equivalent: `IAI.get_num_nodes`

Usage

```
get_num_nodes(lnr)
```

Arguments

`lnr` The learner to query.

Examples

```
## Not run: iai::get_num_nodes(lnr)
```

get_num_samples	<i>Get the number of training points contained in a node of a tree</i>
-----------------	--

Description

Julia Equivalent: `IAI.get_num_samples`

Usage

```
get_num_samples(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::get_num_samples(lnr, 1)
```

get_params	<i>Return the value of all parameters on a learner</i>
------------	--

Description

Julia Equivalent: `IAI.get_params`

Usage

```
get_params(lnr)
```

Arguments

lnr	The learner to query.
-----	-----------------------

Examples

```
## Not run: iai::get_params(lnr)
```

get_parent	<i>Get the index of the parent node at a node of a tree</i>
------------	---

Description

Julia Equivalent: `IAI.get_parent`

Usage

```
get_parent(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::get_parent(lnr, 2)
```

get_policy_treatment_outcome	<i>Return the quality of the treatments at a node of a tree</i>
------------------------------	---

Description

Julia Equivalent: `IAI.get_policy_treatment_outcome`

Usage

```
get_policy_treatment_outcome(lnr, node_index, ...)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_policy_treatment_outcome(lnr, 1)
```

```
get_policy_treatment_outcome_standard_error
```

Return the standard error for the quality of the treatments at a node of a tree

Description

Julia Equivalent: `IAI.get_policy_treatment_outcome_standard_error`

Usage

```
get_policy_treatment_outcome_standard_error(lnr, node_index, ...)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_policy_treatment_outcome_standard_error(lnr, 1)
```

```
get_policy_treatment_rank
```

Return the treatments ordered from most effective to least effective at a node of a tree

Description

Julia Equivalent: `IAI.get_policy_treatment_rank`

Usage

```
get_policy_treatment_rank(lnr, node_index, ...)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::get_policy_treatment_rank(lnr, 1)
```

```
get_prediction_constant
    Generic function for returning the prediction constant in a trained learner
```

Description

Generic function for returning the prediction constant in a trained learner

Usage

```
get_prediction_constant(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
get_prediction_constant.glmnetcv_learner
    Return the constant term in the prediction in a trained GLMNet learner
```

Description

Julia Equivalent: `IAI.get_prediction_constant`

Usage

```
## S3 method for class 'glmnetcv_learner'
get_prediction_constant(obj, fit_index = NULL, ...)
```

Arguments

obj	The learner to query.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_prediction_constant(lnr)
```

```
get_prediction_constant.optimal_feature_selection_learner
```

Return the constant term in the prediction in a trained Optimal Feature Selection learner

Description

Julia Equivalent: `IAI.get_prediction_constant`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
get_prediction_constant(obj, fit_index = NULL, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>fit_index</code>	The index of the cluster to use for prediction, if the <code>coordinated_sparsity</code> parameter on the learner is <code>TRUE</code> .
<code>...</code>	Additional arguments (unused)

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::get_prediction_constant(lnr)
```

```
get_prediction_weights
```

Generic function for returning the prediction weights in a trained learner

Description

Generic function for returning the prediction weights in a trained learner

Usage

```
get_prediction_weights(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
get_prediction_weights.glmnetcv_learner
```

Return the weights for numeric and categorical features used for prediction in a trained GLMNet learner

Description

Julia Equivalent: `IAI.get_prediction_weights`

Usage

```
## S3 method for class 'glmnetcv_learner'
get_prediction_weights(obj, fit_index = NULL, ...)
```

Arguments

obj	The learner to query.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_prediction_weights(lmr)
```

```
get_prediction_weights.optimal_feature_selection_learner
```

Return the weights for numeric and categoric features used for prediction in a trained Optimal Feature Selection learner

Description

Julia Equivalent: `IAI.get_prediction_weights`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
get_prediction_weights(obj, fit_index = NULL, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>fit_index</code>	The index of the cluster to use for prediction, if the <code>coordinated_sparsity</code> parameter on the learner is <code>TRUE</code> .
<code>...</code>	Additional arguments (unused)

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::get_prediction_weights(lnr)
```

```
get_prescription_treatment_rank
```

Return the treatments ordered from most effective to least effective at a node of a tree

Description

Julia Equivalent: `IAI.get_prescription_treatment_rank`

Usage

```
get_prescription_treatment_rank(lnr, node_index, ...)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_prescription_treatment_rank(lnr, 1)
```

```
get_regression_constant
```

Generic function for returning the constant term in the regression prediction at a node of a tree

Description

Generic function for returning the constant term in the regression prediction at a node of a tree

Usage

```
get_regression_constant(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
get_regression_constant.classification_tree_learner
```

Return the constant term in the logistic regression prediction at a node of a classification tree

Description

Julia Equivalent: `IAI.get_regression_constant`

Usage

```
## S3 method for class 'classification_tree_learner'
get_regression_constant(obj, node_index, ...)
```

Arguments

obj The learner to query.
node_index The node in the tree to query.
... Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1)
```

```
get_regression_constant.classification_tree_multi_learner
    Return the constant term in the logistic regression prediction at a node
    of a multi-task classification tree
```

Description

Julia Equivalent: `IAI.get_regression_constant` and `IAI.get_regression_constant`

Usage

```
## S3 method for class 'classification_tree_multi_learner'
get_regression_constant(obj, node_index, ...)
```

Arguments

obj The learner to query.
node_index The node in the tree to query.
... Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1)
```

```
get_regression_constant.prescription_tree_learner
    Return the constant term in the linear regression prediction at a node
    of a prescription tree
```

Description

Julia Equivalent: `IAI.get_regression_constant`

Usage

```
## S3 method for class 'prescription_tree_learner'
get_regression_constant(obj, node_index, treatment, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>treatment</code>	The treatment to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1, "A")
```

```
get_regression_constant.regression_tree_learner
    Return the constant term in the linear regression prediction at a node
    of a regression tree
```

Description

Julia Equivalent: `IAI.get_regression_constant`

Usage

```
## S3 method for class 'regression_tree_learner'
get_regression_constant(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1)
```

```
get_regression_constant.regression_tree_multi_learner
    Return the constant term in the linear regression prediction at a node
    of a multi-task regression tree
```

Description

Julia Equivalent: `IAI.get_regression_constant` and `IAI.get_regression_constant`

Usage

```
## S3 method for class 'regression_tree_multi_learner'
get_regression_constant(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1)
```

```
get_regression_constant.survival_tree_learner
    Return the constant term in the cox regression prediction at a node of
    a survival tree
```

Description

Julia Equivalent: `IAI.get_regression_constant`

Usage

```
## S3 method for class 'survival_tree_learner'
get_regression_constant(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::get_regression_constant(lnr, 1)
```

`get_regression_weights`

Generic function for returning the weights for each feature in the regression prediction at a node of a tree

Description

Generic function for returning the weights for each feature in the regression prediction at a node of a tree

Usage

```
get_regression_weights(obj, ...)
```

Arguments

<code>obj</code>	The object controlling which method is used
<code>...</code>	Arguments depending on the specific method used

`get_regression_weights.classification_tree_learner`

Return the weights for each feature in the logistic regression prediction at a node of a classification tree

Description

Julia Equivalent: `IAI.get_regression_weights`

Usage

```
## S3 method for class 'classification_tree_learner'
get_regression_weights(obj, node_index, ...)
```

Arguments

obj The learner to query.
node_index The node in the tree to query.
... Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1)
```

```
get_regression_weights.classification_tree_multi_learner
    Return the weights for each feature in the logistic regression prediction
    at a node of a multi-task classification tree
```

Description

Julia Equivalent: `IAI.get_regression_weights` and `IAI.get_regression_weights`

Usage

```
## S3 method for class 'classification_tree_multi_learner'
get_regression_weights(obj, node_index, ...)
```

Arguments

obj The learner to query.
node_index The node in the tree to query.
... Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1)
```

```
get_regression_weights.prescription_tree_learner
    Return the weights for each feature in the linear regression prediction
    at a node of a prescription tree
```

Description

Julia Equivalent: `IAI.get_regression_weights`

Usage

```
## S3 method for class 'prescription_tree_learner'
get_regression_weights(obj, node_index, treatment, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>treatment</code>	The treatment to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1, "A")
```

```
get_regression_weights.regression_tree_learner
    Return the weights for each feature in the linear regression prediction
    at a node of a regression tree
```

Description

Julia Equivalent: `IAI.get_regression_weights`

Usage

```
## S3 method for class 'regression_tree_learner'
get_regression_weights(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1)
```

```
get_regression_weights.regression_tree_multi_learner
    Return the weights for each feature in the linear regression prediction
    at a node of a multi-task regression tree
```

Description

Julia Equivalent: `IAI.get_regression_weights` and `IAI.get_regression_weights`

Usage

```
## S3 method for class 'regression_tree_multi_learner'
get_regression_weights(obj, node_index, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1)
```

```
get_regression_weights.survival_tree_learner
    Return the weights for each feature in the cox regression prediction at
    a node of a survival tree
```

Description

Julia Equivalent: `IAI.get_regression_weights`

Usage

```
## S3 method for class 'survival_tree_learner'
get_regression_weights(obj, node_index, ...)
```

Arguments

obj	The learner to query.
node_index	The node in the tree to query.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::get_regression_weights(lnr, 1)
```

```
get_rich_output_params
```

Return the current global rich output parameter settings

Description

Julia Equivalent: `IAI.get_rich_output_params`

Usage

```
get_rich_output_params()
```

Examples

```
## Not run: iai::get_rich_output_params()
```

```
get_roc_curve_data
```

Extract the underlying data from an ROC curve

Description

ROC curves are returned by `roc_curve`, e.g. `roc_curve.classification_learner`

Usage

```
get_roc_curve_data(curve)
```

Arguments

curve	The curve to query.
-------	---------------------

Details

The data is returned as a list with two keys: auc giving the area-under-the-curve, and coords containing a vector of lists representing each point on the curve, each with keys fpr (the false positive rate), tpr (the true positive rate) and threshold (the threshold).

Julia Equivalent: `IAI.get_roc_curve_data`

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_roc_curve_data(curve)
```

`get_split_categories` *Return the categoric/ordinal information used in the split at a node of a tree*

Description

Julia Equivalent: `IAI.get_split_categories`

Usage

```
get_split_categories(lnr, node_index)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.

Examples

```
## Not run: iai::get_split_categories(lnr, 1)
```

get_split_feature *Return the feature used in the split at a node of a tree*

Description

Julia Equivalent: `IAI.get_split_feature`

Usage

```
get_split_feature(lnr, node_index)
```

Arguments

lnr The learner to query.
node_index The node in the tree to query.

Examples

```
## Not run: iai::get_split_feature(lnr, 1)
```

get_split_threshold *Return the threshold used in the split at a node of a tree*

Description

Julia Equivalent: `IAI.get_split_threshold`

Usage

```
get_split_threshold(lnr, node_index)
```

Arguments

lnr The learner to query.
node_index The node in the tree to query.

Examples

```
## Not run: iai::get_split_threshold(lnr, 1)
```

get_split_weights *Return the weights for numeric and categoric features used in the hyperplane split at a node of a tree*

Description

Julia Equivalent: `IAI.get_split_weights`

Usage

```
get_split_weights(lnr, node_index)
```

Arguments

lnr The learner to query.
node_index The node in the tree to query.

Examples

```
## Not run: iai::get_split_weights(lnr, 1)
```

get_stability_results *Return the trained trees in order of increasing objective value, along with their variable importance scores for each feature*

Description

Julia Equivalent: `IAI.get_stability_results`

Usage

```
get_stability_results(stability)
```

Arguments

stability The stability analysis to query

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_stability_results(stability)
```

get_survival_curve *Return the survival curve at a node of a tree*

Description

Julia Equivalent: `IAI.get_survival_curve`

Usage

```
get_survival_curve(lnr, node_index, ...)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::get_survival_curve(lnr, 1)
```

get_survival_curve_data
Extract the underlying data from a survival curve (as returned by `predict_survival_learner` or `get_survival_curve`)

Description

The data is returned as a list with two keys: `times` containing the time for each breakpoint on the curve, and `coefs` containing the probability for each breakpoint on the curve.

Usage

```
get_survival_curve_data(curve)
```

Arguments

curve	The curve to query.
-------	---------------------

Details

Julia Equivalent: `IAI.get_survival_curve_data`

Examples

```
## Not run: iai::get_survival_curve_data(curve)
```

`get_survival_expected_time`*Return the predicted expected survival time at a node of a tree*

Description

Julia Equivalent: `IAI.get_survival_expected_time`

Usage

```
get_survival_expected_time(lnr, node_index, ...)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_survival_expected_time(lnr, 1)
```

`get_survival_hazard` *Return the predicted hazard ratio at a node of a tree*

Description

Julia Equivalent: `IAI.get_survival_hazard`

Usage

```
get_survival_hazard(lnr, node_index, ...)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::get_survival_hazard(lnr, 1)
```

get_train_errors	<i>Extract the training objective value for each candidate tree in the comparison, where a lower value indicates a better solution</i>
------------------	--

Description

Julia Equivalent: `IAI.get_train_errors`

Usage

```
get_train_errors(similarity)
```

Arguments

similarity The similarity comparison

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_train_errors(similarity)
```

get_tree	<i>Return a copy of the learner that uses a specific tree rather than the tree with the best training objective.</i>
----------	--

Description

Julia Equivalent: `IAI.get_tree`

Usage

```
get_tree(lnr, index)
```

Arguments

lnr	The original learner
index	The index of the tree to use

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::get_tree(lnr, index)
```

<code>get_upper_child</code>	<i>Get the index of the upper child at a split node of a tree</i>
------------------------------	---

Description

Julia Equivalent: `IAI.get_upper_child`

Usage

```
get_upper_child(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::get_upper_child(lnr, 1)
```

glmnetcv_classifier	<i>Learner for training GLMNet models for classification problems with cross-validation</i>
---------------------	---

Description

Julia Equivalent: [IAI.GLMNetCVClassifier](#)

Usage

```
glmnetcv_classifier(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: lnr <- iai::glmnetcv_classifier()
```

glmnetcv_regressor	<i>Learner for training GLMNet models for regression problems with cross-validation</i>
--------------------	---

Description

Julia Equivalent: [IAI.GLMNetCVRegressor](#)

Usage

```
glmnetcv_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::glmnetcv_regressor()
```

```
glmnetcv_survival_learner
```

Learner for training GLMNet models for survival problems with cross-validation

Description

Julia Equivalent: [IAI.GLMNetCVSurvivalLearner](#)

Usage

```
glmnetcv_survival_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: lnr <- iai::glmnetcv_survival_learner()
```

```
grid_search
```

Controls grid search over parameter combinations

Description

Julia Equivalent: [IAI.GridSearch](#)

Usage

```
grid_search(lnr, ...)
```

Arguments

lnr The learner to use when validating.
... The parameters to validate over.

Examples

```
## Not run:
grid <- iai::grid_search(
  iai::optimal_tree_classifier(
    random_seed = 1,
  ),
  max_depth = 1:5,
)

## End(Not run)
```

iaai_setup

Initialize Julia and the IAI package.

Description

This function is called automatically with default parameters the first time any ‘iai’ function is used in an R session. If custom parameters for Julia setup are required, this function must be called in every R session before calling other ‘iai’ functions.

Usage

```
iaai_setup(...)
```

Arguments

... All parameters are passed through to `JuliaCall::julia_setup`

Examples

```
## Not run: iai::iaai_setup()
```

imputation_learner

Generic learner for imputing missing values

Description

Julia Equivalent: `IAI.ImputationLearner`

Usage

```
imputation_learner(method = "opt_knn", ...)
```


Arguments

method (optional) Specifies the imputation method to use.

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::imputation_learner(method = "opt_tree")
```

impute	<i>Impute missing values using either a specified method or through validation</i>
--------	--

Description

Julia Equivalent: `IAI.impute`

Usage

```
impute(X, ...)
```

Arguments

X The dataframe in which to impute missing values.

... Refer to the Julia documentation for available parameters.

Details

This function was deprecated in iai 1.7.0. This is for consistency with the IAI v3.0.0 Julia release.

Examples

```
## Not run:  
X <- iris  
X[1, 1] <- NA  
iai::impute(X)  
  
## End(Not run)
```

impute_cv	<i>Impute missing values using cross validation</i>
-----------	---

Description

Julia Equivalent: `IAI.impute_cv`

Usage

```
impute_cv(X, ...)
```

Arguments

<code>X</code>	The dataframe in which to impute missing values.
<code>...</code>	Refer to the Julia documentation for available parameters.

Details

This function was deprecated in `iai` 1.7.0. This is for consistency with the `IAI` v3.0.0 Julia release.

Examples

```
## Not run:
X <- iris
X[1, 1] <- NA
iai::impute_cv(X, list(method = c("opt_knn", "opt_tree")))

## End(Not run)
```

install_julia	<i>Download and install Julia automatically.</i>
---------------	--

Description

Download and install Julia automatically.

Usage

```
install_julia(version = "latest", prefix = julia_default_install_dir())
```

Arguments

<code>version</code>	The version of Julia to install (e.g. "1.6.3"). Defaults to "latest", which will install the most recent stable release.
<code>prefix</code>	The directory where Julia will be installed. Defaults to a location determined by <code>rappdirs::user_data_dir</code> .

Examples

```
## Not run: iai::install_julia()
```

```
install_system_image Download and install the IAI system image automatically.
```

Description

Download and install the IAI system image automatically.

Usage

```
install_system_image(  
  version = "latest",  
  replace_default = FALSE,  
  prefix = sysimage_default_install_dir(),  
  accept_license = FALSE  
)
```

Arguments

version	The version of the IAI system image to install (e.g. "2.1.0"). Defaults to "latest", which will install the most recent release.
replace_default	Whether to replace the default Julia system image with the downloaded IAI system image. Defaults to FALSE.
prefix	The directory where the IAI system image will be installed. Defaults to a location determined by <code>rappdirs::user_data_dir</code> .
accept_license	Set to TRUE to confirm that you agree to the End User License Agreement and skip the interactive confirmation dialog.

Examples

```
## Not run: iai::install_system_image()
```

is_categoric_split *Check if a node of a tree applies a categoric split*

Description

Julia Equivalent: `IAI.is_categoric_split`

Usage

```
is_categoric_split(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::is_categoric_split(lnr, 1)
```

is_hyperplane_split *Check if a node of a tree applies a hyperplane split*

Description

Julia Equivalent: `IAI.is_hyperplane_split`

Usage

```
is_hyperplane_split(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::is_hyperplane_split(lnr, 1)
```

is_leaf *Check if a node of a tree is a leaf*

Description

Julia Equivalent: `IAI.is_leaf`

Usage

```
is_leaf(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::is_leaf(lnr, 1)
```

is_mixed_ordinal_split *Check if a node of a tree applies a mixed ordinal/categorical split*

Description

Julia Equivalent: `IAI.is_mixed_ordinal_split`

Usage

```
is_mixed_ordinal_split(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::is_mixed_ordinal_split(lnr, 1)
```

`is_mixed_parallel_split`*Check if a node of a tree applies a mixed parallel/categorical split*

Description

Julia Equivalent: `IAI.is_mixed_parallel_split`

Usage

```
is_mixed_parallel_split(lnr, node_index)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.

Examples

```
## Not run: iai::is_mixed_parallel_split(lnr, 1)
```

`is_ordinal_split`*Check if a node of a tree applies a ordinal split*

Description

Julia Equivalent: `IAI.is_ordinal_split`

Usage

```
is_ordinal_split(lnr, node_index)
```

Arguments

<code>lnr</code>	The learner to query.
<code>node_index</code>	The node in the tree to query.

Examples

```
## Not run: iai::is_ordinal_split(lnr, 1)
```

is_parallel_split	<i>Check if a node of a tree applies a parallel split</i>
-------------------	---

Description

Julia Equivalent: `IAI.is_parallel_split`

Usage

```
is_parallel_split(lnr, node_index)
```

Arguments

lnr	The learner to query.
node_index	The node in the tree to query.

Examples

```
## Not run: iai::is_parallel_split(lnr, 1)
```

load_graphviz	<i>Loads the Julia Graphviz library to permit certain visualizations.</i>
---------------	---

Description

The library will be installed if not already present.

Usage

```
load_graphviz()
```

Examples

```
## Not run: iai::load_graphviz()
```

mean_imputation_learner
Learner for conducting mean imputation

Description

Julia Equivalent: `IAI.MeanImputationLearner`

Usage

```
mean_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::mean_imputation_learner()
```

missing_goes_lower *Check if points with missing values go to the lower child at a split node of of a tree*

Description

Julia Equivalent: `IAI.missing_goes_lower`

Usage

```
missing_goes_lower(lnr, node_index)
```

Arguments

lnr The learner to query.
node_index The node in the tree to query.

Examples

```
## Not run: iai::missing_goes_lower(lnr, 1)
```

multi_questionnaire	<i>Generic function for constructing an interactive questionnaire with multiple learners</i>
---------------------	--

Description

Generic function for constructing an interactive questionnaire with multiple learners

Usage

```
multi_questionnaire(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

multi_questionnaire.default	<i>Construct an interactive questionnaire from multiple specified learners</i>
-----------------------------	--

Description

Refer to the [documentation on advanced tree visualization](#) for more information.

Usage

```
## Default S3 method:
multi_questionnaire(obj, ...)
```

Arguments

obj	The questions to visualize. Refer to the Julia documentation on multi-learner visualizations for more information.
...	Additional arguments (unused)

Details

Julia Equivalent: [IAI.MultiQuestionnaire](#)

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run:
iai::multi_questionnaire(list("Questionnaire for" = list(
  "first learner" = lnr1,
  "second learner" = lnr2
)))

## End(Not run)
```

multi_questionnaire.grid_search

*Construct an interactive tree questionnaire using multiple learners
from the results of a grid search*

Description

Julia Equivalent: [IAI.MultiQuestionnaire](#)

Usage

```
## S3 method for class 'grid_search'
multi_questionnaire(obj, ...)
```

Arguments

obj	The grid to visualize
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::multi_questionnaire(grid)
```

multi_tree_plot	<i>Generic function for constructing an interactive tree visualization of multiple tree learners</i>
-----------------	--

Description

Generic function for constructing an interactive tree visualization of multiple tree learners

Usage

```
multi_tree_plot(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

multi_tree_plot.default	<i>Construct an interactive tree visualization of multiple tree learners as specified by questions</i>
-------------------------	--

Description

Refer to the [documentation on advanced tree visualization](#) for more information.

Usage

```
## Default S3 method:  
multi_tree_plot(obj, ...)
```

Arguments

obj	The questions to visualize. Refer to the Julia documentation on multi-learner visualizations for more information.
...	Additional arguments (unused)

Details

Julia Equivalent: [IAI.MultiTreePlot](#)

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run:
iai::multi_tree_plot(list("Visualizing" = list(
  "first learner" = lnr1,
  "second learner" = lnr2
)))

## End(Not run)
```

multi_tree_plot.grid_search

*Construct an interactive tree visualization of multiple tree learners
from the results of a grid search*

Description

Julia Equivalent: [IAI.MultiTreePlot](#)

Usage

```
## S3 method for class 'grid_search'
multi_tree_plot(obj, ...)
```

Arguments

obj	The grid to visualize
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::multi_tree_plot(grid)
```

```
numeric_classification_reward_estimator
```

Learner for conducting reward estimation with numeric treatments and classification outcomes

Description

Julia Equivalent: `IAI.NumericClassificationRewardEstimator`

Usage

```
numeric_classification_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::numeric_classification_reward_estimator()
```

```
numeric_regression_reward_estimator
```

Learner for conducting reward estimation with numeric treatments and regression outcomes

Description

Julia Equivalent: `IAI.NumericRegressionRewardEstimator`

Usage

```
numeric_regression_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::numeric_regression_reward_estimator()
```

numeric_reward_estimator

Learner for conducting reward estimation with numeric treatments

Description

This function was deprecated in iai 1.6.0, and [numeric_classification_reward_estimator()] or [numeric_classification_reward_estimator()] should be used instead.

Usage

```
numeric_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Details

This deprecation is no longer supported as of the IAI v3 release.

IAI Compatibility

Requires IAI version 2.1 or 2.2.

Examples

```
## Not run: lnr <- iai::numeric_reward_estimator()
```

```
numeric_survival_reward_estimator
```

Learner for conducting reward estimation with numeric treatments and survival outcomes

Description

Julia Equivalent: `IAI.NumericSurvivalRewardEstimator`

Usage

```
numeric_survival_reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::numeric_survival_reward_estimator()
```

```
optimal_feature_selection_classifier
```

Learner for conducting Optimal Feature Selection on classification problems

Description

Julia Equivalent: `IAI.OptimalFeatureSelectionClassifier`

Usage

```
optimal_feature_selection_classifier(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: lnr <- iai::optimal_feature_selection_classifier()
```

optimal_feature_selection_regressor

Learner for conducting Optimal Feature Selection on regression problems

Description

Julia Equivalent: `IAI.OptimalFeatureSelectionRegressor`

Usage

```
optimal_feature_selection_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: lnr <- iai::optimal_feature_selection_regressor()
```

`optimal_tree_classifier`*Learner for training Optimal Classification Trees*

Description

Julia Equivalent: `IAI.OptimalTreeClassifier`

Usage

```
optimal_tree_classifier(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_classifier()
```

`optimal_tree_multi_classifier`*Learner for training multi-task Optimal Classification Trees*

Description

Julia Equivalent: `IAI.OptimalTreeMultiClassifier`

Usage

```
optimal_tree_multi_classifier(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: lnr <- iai::optimal_tree_multi_classifier()
```

`optimal_tree_multi_regressor`*Learner for training multi-task Optimal Regression Trees*

Description

Julia Equivalent: `IAI.OptimalTreeMultiRegressor`

Usage

```
optimal_tree_multi_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: lnr <- iai::optimal_tree_multi_regressor()
```

`optimal_tree_policy_maximizer`*Learner for training Optimal Policy Trees where the policy should aim to maximize outcomes*

Description

Julia Equivalent: `IAI.OptimalTreePolicyMaximizer`

Usage

```
optimal_tree_policy_maximizer(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: lnr <- iai::optimal_tree_policy_maximizer()
```

```
optimal_tree_policy_minimizer
```

Learner for training Optimal Policy Trees where the policy should aim to minimize outcomes

Description

Julia Equivalent: `IAI.OptimalTreePolicyMinimizer`

Usage

```
optimal_tree_policy_minimizer(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: lnr <- iai::optimal_tree_policy_minimizer()
```

```
optimal_tree_prescription_maximizer
```

Learner for training Optimal Prescriptive Trees where the prescriptions should aim to maximize outcomes

Description

Julia Equivalent: `IAI.OptimalTreePrescriptionMaximizer`

Usage

```
optimal_tree_prescription_maximizer(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_prescription_maximizer()
```

optimal_tree_prescription_minimizer

Learner for training Optimal Prescriptive Trees where the prescriptions should aim to minimize outcomes

Description

Julia Equivalent: `IAI.OptimalTreePrescriptionMinimizer`

Usage

```
optimal_tree_prescription_minimizer(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_prescription_minimizer()
```

optimal_tree_regressor

Learner for training Optimal Regression Trees

Description

Julia Equivalent: `IAI.OptimalTreeRegressor`

Usage

```
optimal_tree_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_regressor()
```

```
optimal_tree_survival_learner  
Learner for training Optimal Survival Trees
```

Description

Julia Equivalent: `IAI.OptimalTreeSurvivalLearner`

Usage

```
optimal_tree_survival_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_survival_learner()
```

```
optimal_tree_survivor Learner for training Optimal Survival Trees
```

Description

This function was deprecated and renamed to `optimal_tree_survival_learner()` in iai 1.3.0. This is for consistency with the IAI v2.0.0 Julia release.

Usage

```
optimal_tree_survivor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::optimal_tree_survivor()
```

```
opt_knn_imputation_learner
```

Learner for conducting optimal k-NN imputation

Description

Julia Equivalent: `IAI.OptKNNImputationLearner`

Usage

```
opt_knn_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::opt_knn_imputation_learner()
```

```
opt_svm_imputation_learner
```

Learner for conducting optimal SVM imputation

Description

Julia Equivalent: `IAI.OptSVMImputationLearner`

Usage

```
opt_svm_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::opt_svm_imputation_learner()
```

`opt_tree_imputation_learner`*Learner for conducting optimal tree-based imputation*

Description

Julia Equivalent: `IAI.OptTreeImputationLearner`

Usage

```
opt_tree_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::opt_tree_imputation_learner()
```

`plot.grid_search`*Plot a grid search results for Optimal Feature Selection learners*

Description

Plot a grid search results for Optimal Feature Selection learners

Usage

```
## S3 method for class 'grid_search'  
plot(x, ...)
```

Arguments

x The grid search to plot
... Additional arguments (passed to `autoplot.grid_search`)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: plot(grid)
```

plot.roc_curve *Plot an ROC curve*

Description

Plot an ROC curve

Usage

```
## S3 method for class 'roc_curve'  
plot(x, ...)
```

Arguments

x The ROC curve to plot
... Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: plot(roc)
```

plot.similarity_comparison
 Plot a similarity comparison

Description

Plot a similarity comparison

Usage

```
## S3 method for class 'similarity_comparison'  
plot(x, ...)
```

Arguments

x The similarity comparison to plot
... Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: plot(similarity)
```

```
plot.stability_analysis  
      Plot a stability analysis
```

Description

Plot a stability analysis

Usage

```
## S3 method for class 'stability_analysis'  
plot(x, ...)
```

Arguments

x	The stability analysis to plot
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: plot(stability)
```

predict	<i>Generic function for returning the predictions of a model</i>
---------	--

Description

Generic function for returning the predictions of a model

Usage

```
predict(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

predict.categorical_reward_estimator

Return counterfactual rewards estimated by a categorical reward estimator for each observation in the supplied data

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'categorical_reward_estimator'
predict(obj, X, ...)
```

Arguments

obj	The learner or grid to use for estimation
X	The features of the data.
...	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::predict(lnr, X, treatments, outcomes)
```

predict.glmnetcv_learner

Return the predictions made by a GLMNet learner for each point in the features

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'glmnetcv_learner'
predict(obj, X, fit_index = NULL, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::predict(lnr, X)
```

predict.numeric_reward_estimator

Return counterfactual rewards estimated by a numeric reward estimator for each observation in the supplied data

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'numeric_reward_estimator'
predict(obj, X, ...)
```

Arguments

obj	The learner or grid to use for estimation
X	The features of the data.
...	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::predict(lnr, X, treatments, outcomes)
```

```
predict.optimal_feature_selection_learner
```

Return the predictions made by an Optimal Feature Selection learner for each point in the features

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'
predict(obj, X, fit_index = NULL, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
fit_index	The index of the cluster to use for prediction, if the coordinated_sparsity parameter on the learner is TRUE.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::predict(lnr, X)
```

```
predict.supervised_learner
```

Return the predictions made by a supervised learner for each point in the features

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'supervised_learner'  
predict(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>...</code>	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::predict(lnr, X)
```

```
predict.supervised_multi_learner
```

Return the predictions made by a multi-task supervised learner for each point in the features

Description

Julia Equivalent: `IAI.predict` and `IAI.predict`

Usage

```
## S3 method for class 'supervised_multi_learner'  
predict(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::predict(lnr, X)
```

```
predict.survival_learner
```

Return the predictions made by a survival learner for each point in the features

Description

Julia Equivalent: `IAI.predict`

Usage

```
## S3 method for class 'survival_learner'  
predict(obj, X, t = NULL, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>t</code>	The time for which to predict survival probability, defaulting to returning the entire survival curve if not supplied
<code>...</code>	Additional arguments (unused)

Examples

```
## Not run: iai::predict(lnr, X, t = 10)
```

```
predict_expected_survival_time
    Generic function for returning the expected survival time predicted by
    a model
```

Description

Generic function for returning the expected survival time predicted by a model

Usage

```
predict_expected_survival_time(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
predict_expected_survival_time.glmnetcv_survival_learner
    Return the expected survival time estimate made by a
    glmnetcv\_survival\_learner for each point in the features.
```

Description

Julia Equivalent: `IAI.predict_expected_survival_time`

Usage

```
## S3 method for class 'glmnetcv_survival_learner'
predict_expected_survival_time(obj, X, fit_index = NULL, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::predict_expected_survival_time(lnr, X)
```

```
predict_expected_survival_time.survival_curve
```

Return the expected survival time estimate made by a survival curve (as returned by `predict.survival_learner` or `get_survival_curve`)

Description

Julia Equivalent: `IAI.predict_expected_survival_time`

Usage

```
## S3 method for class 'survival_curve'
predict_expected_survival_time(obj, ...)
```

Arguments

<code>obj</code>	The survival curve to use for prediction.
<code>...</code>	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::predict_expected_survival_time(curve)
```

```
predict_expected_survival_time.survival_learner
```

Return the expected survival time estimate made by a survival learner for each point in the features.

Description

Julia Equivalent: `IAI.predict_expected_survival_time`

Usage

```
## S3 method for class 'survival_learner'
predict_expected_survival_time(obj, X, ...)
```


Arguments

obj The learner or grid to use for prediction.
 X The features of the data.
 ... Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::predict_expected_survival_time(lmr, X)
```

predict_hazard	<i>Generic function for returning the hazard coefficient predicted by a model</i>
----------------	---

Description

Generic function for returning the hazard coefficient predicted by a model

Usage

```
predict_hazard(obj, ...)
```

Arguments

obj The object controlling which method is used
 ... Arguments depending on the specific method used

predict_hazard.glmnetcv_survival_learner	<i>Return the fitted hazard coefficient estimate made by a glmnetcv_survival_learner for each point in the features.</i>
--	--

Description

A higher hazard coefficient estimate corresponds to a smaller predicted survival time.

Usage

```
## S3 method for class 'glmnetcv_survival_learner'  

predict_hazard(obj, X, fit_index = NULL, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Additional arguments (unused)

Details

Julia Equivalent: `IAI.predict_hazard`

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::predict_hazard(lmr, X)
```

```
predict_hazard.survival_learner
```

Return the fitted hazard coefficient estimate made by a survival learner for each point in the features.

Description

A higher hazard coefficient estimate corresponds to a smaller predicted survival time.

Usage

```
## S3 method for class 'survival_learner'
predict_hazard(obj, X, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
...	Additional arguments (unused)

Details

Julia Equivalent: `IAI.predict_hazard`

IAI Compatibility

Requires IAI version 1.2 or higher.

Examples

```
## Not run: iai::predict_hazard(lnr, X)
```

predict_outcomes	<i>Generic function for returning the outcomes predicted by a model under each treatment</i>
------------------	--

Description

Generic function for returning the outcomes predicted by a model under each treatment

Usage

```
predict_outcomes(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

predict_outcomes.policy_learner	<i>Return the predicted outcome for each treatment made by a policy learner for each point in the features</i>
---------------------------------	--

Description

Julia Equivalent: `IAI.predict_outcomes`

Usage

```
## S3 method for class 'policy_learner'
predict_outcomes(obj, X, rewards, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
rewards	The estimated reward matrix for the data.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.0 or higher

Examples

```
## Not run: iai::predict_outcomes(lnr, X, rewards)
```

```
predict_outcomes.prescription_learner
```

Return the predicted outcome for each treatment made by a prescription learner for each point in the features

Description

Julia Equivalent: `IAI.predict_outcomes`

Usage

```
## S3 method for class 'prescription_learner'
predict_outcomes(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>...</code>	Additional arguments (unused)

Examples

```
## Not run: iai::predict_outcomes(lnr, X)
```

```
predict_proba
```

Generic function for returning the probabilities of class membership predicted by a model

Description

Generic function for returning the probabilities of class membership predicted by a model

Usage

```
predict_proba(obj, ...)
```

Arguments

<code>obj</code>	The object controlling which method is used
<code>...</code>	Arguments depending on the specific method used

```
predict_proba.classification_learner
```

Return the probabilities of class membership predicted by a classification learner for each point in the features

Description

Julia Equivalent: `IAI.predict_proba`

Usage

```
## S3 method for class 'classification_learner'  
predict_proba(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>...</code>	Additional arguments (unused)

Examples

```
## Not run: iai::predict_proba(lnr, X)
```

```
predict_proba.classification_multi_learner
```

Return the probabilities of class membership predicted by a multi-task classification learner for each point in the features

Description

Julia Equivalent: `IAI.predict_proba` and `IAI.predict_proba`

Usage

```
## S3 method for class 'classification_multi_learner'  
predict_proba(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>...</code>	Additional arguments (unused)

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::predict_proba(lnr, X)
```

```
predict_proba.glmnetcv_classifier
```

Return the probabilities of class membership predicted by a [glmnetcv_classifier](#) learner for each point in the features

Description

Julia Equivalent: [IAI.predict_proba](#)

Usage

```
## S3 method for class 'glmnetcv_classifier'
predict_proba(obj, X, fit_index = NULL, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
fit_index	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::predict_proba(lnr, X)
```

predict_reward	<i>Generic function for returning the counterfactual rewards estimated by a model under each treatment</i>
----------------	--

Description

Generic function for returning the counterfactual rewards estimated by a model under each treatment

Usage

```
predict_reward(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

predict_reward.categorical_reward_estimator	<i>Return counterfactual rewards estimated by a categorical reward estimator for each observation in the supplied data and predictions</i>
---	--

Description

Julia Equivalent: `IAI.predict_reward`

Usage

```
## S3 method for class 'categorical_reward_estimator'
predict_reward(obj, X, ...)
```

Arguments

obj	The learner or grid to use for estimation
X	The features of the data.
...	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::predict_reward(lnr, X, treatments, outcomes, predictions)
```

predict_reward.numeric_reward_estimator

Return counterfactual rewards estimated by a numeric reward estimator for each observation in the supplied data and predictions

Description

Julia Equivalent: `IAI.predict_reward`

Usage

```
## S3 method for class 'numeric_reward_estimator'
predict_reward(obj, X, ...)
```

Arguments

obj	The learner or grid to use for estimation
X	The features of the data.
...	Additional arguments depending on the treatment and outcome types. Refer to the Julia documentation for more information.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::predict_reward(lnr, X, treatments, outcomes, predictions)
```

predict_shap

Calculate SHAP values for all points in the features using the learner

Description

Julia Equivalent: `IAI.predict_shap`

Usage

```
predict_shap(lnr, X)
```

Arguments

lnr	The XGBoost learner or grid to use for prediction.
X	The features of the data.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::predict_shap(lnr, X)
```

`predict_treatment_outcome`

Return the estimated quality of each treatment in the trained model of the learner for each point in the features

Description

Julia Equivalent: `IAI.predict_treatment_outcome`

Usage

```
predict_treatment_outcome(lnr, X)
```

Arguments

<code>lnr</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::predict_treatment_outcome(lnr, X)
```

```
predict_treatment_outcome_standard_error
```

Return the standard error for the estimated quality of each treatment in the trained model of the learner for each point in the features

Description

Julia Equivalent: `IAI.predict_treatment_outcome_standard_error`

Usage

```
predict_treatment_outcome_standard_error(lnr, X)
```

Arguments

lnr	The learner or grid to use for prediction.
X	The features of the data.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::predict_treatment_outcome_standard_error(lnr, X)
```

```
predict_treatment_rank
```

Return the treatments in ranked order of effectiveness for each point in the features

Description

Julia Equivalent: `IAI.predict_treatment_rank`

Usage

```
predict_treatment_rank(lnr, X)
```

Arguments

lnr	The learner or grid to use for prediction.
X	The features of the data.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::predict_treatment_rank(lnr, X)
```

print_path	<i>Print the decision path through the learner for each sample in the features</i>
------------	--

Description

Julia Equivalent: `IAI.print_path`

Usage

```
print_path(lnr, X, ...)
```

Arguments

lnr	The learner or grid to query.
X	The features of the data.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run:  
iai::print_path(lnr, X)  
iai::print_path(lnr, X, 1)  
  
## End(Not run)
```

prune_trees	<i>Use the trained trees in a learner along with the supplied validation data to determine the best value for the 'cp' parameter and then prune the trees according to this value</i>
-------------	---

Description

Julia Equivalent: `IAI.prune_trees!`

Usage

```
prune_trees(lnr, ...)
```

Arguments

lnr	The learner to prune
...	Refer to the Julia documentation for available parameters

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::prune_trees(lnr, ...)
```

questionnaire	<i>Generic function for constructing an interactive questionnaire</i>
---------------	---

Description

Julia Equivalent: `IAI.Questionnaire`

Usage

```
questionnaire(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
questionnaire.optimal_feature_selection_learner
```

Specify an interactive questionnaire of an Optimal Feature Selection learner

Description

Julia Equivalent: [IAI.Questionnaire](#)

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
questionnaire(obj, ...)
```

Arguments

obj The learner to visualize.
... Refer to the [Julia documentation](#) for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::questionnaire(lnr)
```

```
questionnaire.tree_learner
```

Specify an interactive questionnaire of a tree learner

Description

Julia Equivalent: [IAI.Questionnaire](#)

Usage

```
## S3 method for class 'tree_learner'  
questionnaire(obj, ...)
```

Arguments

obj The learner to visualize.
... Refer to the [Julia documentation](#) for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::questionnaire(lnr)
```

random_forest_classifier

Learner for training random forests for classification problems

Description

Julia Equivalent: `IAI.RandomForestClassifier`

Usage

```
random_forest_classifier(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::random_forest_classifier()
```

random_forest_regressor

Learner for training random forests for regression problems

Description

Julia Equivalent: `IAI.RandomForestRegressor`

Usage

```
random_forest_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::random_forest_regressor()
```

random_forest_survival_learner

Learner for training random forests for survival problems

Description

Julia Equivalent: `IAI.RandomForestSurvivalLearner`

Usage

```
random_forest_survival_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::random_forest_survival_learner()
```

rand_imputation_learner

Learner for conducting random imputation

Description

Julia Equivalent: `IAI.RandImputationLearner`

Usage

```
rand_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::rand_imputation_learner()
```

read_json

Read in a learner or grid saved in JSON format

Description

Julia Equivalent: `IAI.read_json`

Usage

```
read_json(filename)
```

Arguments

filename The location of the JSON file.

Examples

```
## Not run: obj <- iai::read_json("out.json")
```

refit_leaves	<i>Refit the models in the leaves of a trained learner using the supplied data</i>
--------------	--

Description

Julia Equivalent: `IAI.refit_leaves!`

Usage

```
refit_leaves(lnr, ...)
```

Arguments

lnr	The learner to refit
...	Refer to the Julia documentation for available parameters

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::refit_leaves(lnr, ...)
```

release_license	<i>Release any IAI license held by the current session.</i>
-----------------	---

Description

Julia Equivalent: `IAI.release_license`

Usage

```
release_license()
```

IAI Compatibility

Requires IAI version 3.1 or higher.

Examples

```
## Not run: iai::release_license()
```

`reset_display_label` *Reset the predicted probability displayed to be that of the predicted label when visualizing a learner*

Description

Julia Equivalent: `IAI.reset_display_label!`

Usage

```
reset_display_label(lnr)
```

Arguments

`lnr` The learner to modify.

Examples

```
## Not run: iai::reset_display_label(lnr)
```

`resume_from_checkpoint` *Resume training from a checkpoint file*

Description

Julia Equivalent: `IAI.resume_from_checkpoint`

Usage

```
resume_from_checkpoint(checkpoint_file)
```

Arguments

`checkpoint_file` The location of the checkpoint file.

IAI Compatibility

Requires IAI version 3.1 or higher.

Examples

```
## Not run: obj <- iai::resume_from_checkpoint("checkpoint.json")
```

reward_estimator	<i>Learner for conducting reward estimation with categorical treatments</i>
------------------	---

Description

This function was deprecated and renamed to `categorical_reward_estimator()` in `iai` 1.4.0. This is for consistency with the `IAI` v2.1.0 Julia release.

Usage

```
reward_estimator(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Details

This deprecation is no longer supported as of the `IAI` v3 release.

IAI Compatibility

Requires `IAI` version 2.2 or lower.

Examples

```
## Not run: lnr <- iai::reward_estimator()
```

roc_curve	<i>Generic function for constructing an ROC curve</i>
-----------	---

Description

Julia Equivalent: `IAI.ROCCurve`

Usage

```
roc_curve(obj, ...)
```

Arguments

`obj` The object controlling which method is used
 ... Arguments depending on the specific method used

```
roc_curve.classification_learner
```

Construct an ROC curve using a trained classification learner on the given data

Description

Julia Equivalent: [IAI.ROCCurve](#)

Usage

```
## S3 method for class 'classification_learner'
roc_curve(obj, X, y, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
y	The labels of the data.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::roc_curve(lnr, X, y)
```

```
roc_curve.classification_multi_learner
```

Construct an ROC curve using a trained multi-task classification learner on the given data

Description

Julia Equivalent: [IAI.ROCCurve](#) and [IAI.ROCCurve](#)

Usage

```
## S3 method for class 'classification_multi_learner'
roc_curve(obj, X, y, ...)
```

Arguments

obj	The learner or grid to use for prediction.
X	The features of the data.
y	The labels of the data.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::roc_curve(lnr, X, y)
```

roc_curve.default *Construct an ROC curve from predicted probabilities and true labels*

Description

Julia Equivalent: [IAI.ROCCurve](#)

Usage

```
## Default S3 method:  
roc_curve(obj, y, positive_label = stop("`positive_label` is required"), ...)
```

Arguments

obj	The predicted probabilities for each point in the data.
y	The true labels of the data.
positive_label	The label for which probability is being predicted.
...	Additional arguments (unused)

IAI Compatibility

Requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::roc_curve(probs, y, positive_label=positive_label)
```

```
roc_curve.glmnetcv_classifier
```

Construct an ROC curve using a trained `glmnetcv_classifier` on the given data

Description

Julia Equivalent: `IAI.ROCCurve`

Usage

```
## S3 method for class 'glmnetcv_classifier'
roc_curve(obj, X, y, fit_index = NULL, ...)
```

Arguments

<code>obj</code>	The learner or grid to use for prediction.
<code>X</code>	The features of the data.
<code>y</code>	The labels of the data.
<code>fit_index</code>	The index of the fit in the path to use for prediction, defaulting to the best fit if not supplied.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: iai::roc_curve(lnr, X, y)
```

```
score
```

Generic function for calculating scores

Description

Generic function for calculating scores

Usage

```
score(obj, ...)
```

Arguments

<code>obj</code>	The object controlling which method is used
<code>...</code>	Arguments depending on the specific method used

```
score.categorical_reward_estimator
```

Calculate the scores for a categorical reward estimator on the given data

Description

Julia Equivalent: `IAI.score`

Usage

```
## S3 method for class 'categorical_reward_estimator'
score(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to evaluate.
<code>X</code>	The features of the data.
<code>...</code>	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for other available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::score(lnr, X, treatments, outcomes)
```

```
score.default
```

Calculate the score for a set of predictions on the given data

Description

Julia Equivalent: `IAI.score`

Usage

```
## Default S3 method:
score(obj, predictions, truths, ...)
```

Arguments

obj	The type of problem.
predictions	The predictions to evaluate.
truths	The true target values for these observations.
...	Other parameters, including the criterion. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::score("regression", y_pred, y_true, criterion="mse")
```

```
score.glmnetcv_learner
```

Calculate the score for a GLMNet learner on the given data

Description

Julia Equivalent: [IAI.score](#)

Usage

```
## S3 method for class 'glmnetcv_learner'
score(obj, X, ...)
```

Arguments

obj	The learner or grid to evaluate.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. <code>fit_index</code> can be used to specify the index of the fit in the path to use for prediction, defaulting to the best fit if not supplied. Refer to the Julia documentation for other available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::score(lmr, X, y, fit_index=1)
```

`score.numeric_reward_estimator`*Calculate the scores for a numeric reward estimator on the given data*

Description

Julia Equivalent: `IAI.score`

Usage

```
## S3 method for class 'numeric_reward_estimator'  
score(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to evaluate.
<code>X</code>	The features of the data.
<code>...</code>	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for other available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::score(lnr, X, treatments, outcomes)
```

`score.optimal_feature_selection_learner`*Calculate the score for an Optimal Feature Selection learner on the given data*

Description

Julia Equivalent: `IAI.score`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
score(obj, X, ...)
```

Arguments

obj	The learner or grid to evaluate.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. If the <code>coordinated_sparsity</code> parameter on the learner is <code>TRUE</code> , then <code>fit_index</code> must be used to specify which cluster should be used. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::score(lnr, X, y, fit_index=1)
```

```
score.supervised_learner
```

Calculate the score for a model on the given data

Description

Julia Equivalent: `IAI.score`

Usage

```
## S3 method for class 'supervised_learner'
score(obj, X, ...)
```

Arguments

obj	The learner or grid to evaluate.
X	The features of the data.
...	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::score(lnr, X, y)
```

```
score.supervised_multi_learner
```

Calculate the score for a multi-task model on the given data

Description

Julia Equivalent: `IAI.score` and `IAI.score`

Usage

```
## S3 method for class 'supervised_multi_learner'
score(obj, X, ...)
```

Arguments

<code>obj</code>	The learner or grid to evaluate.
<code>X</code>	The features of the data.
<code>...</code>	Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.2 or higher.

Examples

```
## Not run: iai::score(lnr, X, y)
```

```
set_display_label
```

Show the probability of a specified label when visualizing a learner

Description

Julia Equivalent: `IAI.set_display_label!`

Usage

```
set_display_label(lnr, display_label)
```

Arguments

<code>lnr</code>	The learner to modify.
<code>display_label</code>	The label for which to show probabilities.

Examples

```
## Not run: iai::set_display_label(lnr, "A")
```

set_julia_seed	<i>Set the random seed in Julia</i>
----------------	-------------------------------------

Description

Julia Equivalent: `Random.seed!`

Usage

```
set_julia_seed(seed)
```

Arguments

seed The seed to set

Examples

```
## Not run: iai::set_julia_seed(1)
```

set_params	<i>Set all supplied parameters on a learner</i>
------------	---

Description

Julia Equivalent: `IAI.set_params!`

Usage

```
set_params(lnr, ...)
```

Arguments

lnr The learner to modify.
... The parameters to set on the learner.

Examples

```
## Not run: iai::set_params(lnr, random_seed = 1)
```

```
set_reward_kernel_bandwidth
```

Save a new reward kernel bandwidth inside a learner, and return new reward predictions generated using this bandwidth for the original data used to train the learner.

Description

Julia Equivalent: `IAI.set_reward_kernel_bandwidth!`

Usage

```
set_reward_kernel_bandwidth(lnr, ...)
```

Arguments

<code>lnr</code>	The learner to modify
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::set_reward_kernel_bandwidth(lnr, ...)
```

```
set_rich_output_param Sets a global rich output parameter
```

Description

Julia Equivalent: `IAI.set_rich_output_param!`

Usage

```
set_rich_output_param(key, value)
```

Arguments

<code>key</code>	The parameter to set.
<code>value</code>	The value to set

Examples

```
## Not run: iai::set_rich_output_param("simple_layout", TRUE)
```

set_threshold	<i>For a binary classification problem, update the the predicted labels in the leaves of the learner to predict a label only if the predicted probability is at least the specified threshold.</i>
---------------	--

Description

Julia Equivalent: `IAI.set_threshold!`

Usage

```
set_threshold(lnr, label, threshold, ...)
```

Arguments

lnr	The learner to modify.
label	The referenced label.
threshold	The probability threshold above which label will be be predicted.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::set_threshold(lnr, "A", 0.4)
```

show_in_browser	<i>Generic function for showing interactive visualization in browser</i>
-----------------	--

Description

Generic function for showing interactive visualization in browser

Usage

```
show_in_browser(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

`show_in_browser.abstract_visualization`*Show interactive visualization of an object in the default browser*

Description

Julia Equivalent: `IAI.show_in_browser`

Usage

```
## S3 method for class 'abstract_visualization'  
show_in_browser(obj, ...)
```

Arguments

`obj` The object to visualize.
`...` Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::show_in_browser(1nr)
```

`show_in_browser.roc_curve`*Show interactive visualization of a `roc_curve` in the default browser*

Description

Julia Equivalent: `IAI.show_in_browser`

Usage

```
## S3 method for class 'roc_curve'  
show_in_browser(obj, ...)
```

Arguments

`obj` The curve to visualize.
`...` Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::show_in_browser(curve)
```

```
show_in_browser.tree_learner
    Show interactive tree visualization of a tree learner in the default browser
```

Description

Julia Equivalent: `IAI.show_in_browser`

Usage

```
## S3 method for class 'tree_learner'
show_in_browser(obj, ...)
```

Arguments

<code>obj</code>	The learner or grid to visualize.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Showing a grid search requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::show_in_browser(1nr)
```

```
show_questionnaire    Generic function for showing interactive questionnaire in browser
```

Description

Generic function for showing interactive questionnaire in browser

Usage

```
show_questionnaire(obj, ...)
```

Arguments

<code>obj</code>	The object controlling which method is used
<code>...</code>	Arguments depending on the specific method used

```
show_questionnaire.optimal_feature_selection_learner
```

Show an interactive questionnaire based on an Optimal Feature Selection learner in default browser

Description

Julia Equivalent: `IAI.show_questionnaire`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'  
show_questionnaire(obj, ...)
```

Arguments

`obj` The learner or grid to visualize.
`...` Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::show_questionnaire(lnr)
```

```
show_questionnaire.tree_learner
```

Show an interactive questionnaire based on a tree learner in default browser

Description

Julia Equivalent: `IAI.show_questionnaire`

Usage

```
## S3 method for class 'tree_learner'  
show_questionnaire(obj, ...)
```

Arguments

`obj` The learner or grid to visualize.
`...` Refer to the Julia documentation for available parameters.

IAI Compatibility

Showing a grid search requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::show_questionnaire(lnr)
```

`similarity_comparison` *Conduct a similarity comparison between the final tree in a learner and all trees in a new learner to consider the tradeoff between training performance and similarity to the original tree*

Description

Refer to the [documentation on tree stability](#) for more information.

Usage

```
similarity_comparison(lnr, new_lnr, deviations)
```

Arguments

<code>lnr</code>	The original learner
<code>new_lnr</code>	The new learner
<code>deviations</code>	The deviation between the original tree and each tree in the new learner

Details

Julia Equivalent: [IAI.SimilarityComparison](#)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::similarity_comparison(lnr, new_lnr, deviations)
```

`single_knn_imputation_learner`*Learner for conducting heuristic k-NN imputation*

Description

Julia Equivalent: `IAI.SingleKNNImputationLearner`

Usage

```
single_knn_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

Examples

```
## Not run: lnr <- iai::single_knn_imputation_learner()
```

`split_data`*Split the data into training and test datasets*

Description

Julia Equivalent: `IAI.split_data`

Usage

```
split_data(task, X, ...)
```

Arguments

`task` The type of problem.

`X` The features of the data.

... Other parameters, including zero or more target vectors as required by the problem type. Refer to the Julia documentation for available parameters.

Examples

```
## Not run:
X <- iris[, 1:4]
y <- iris$Species
split <- iai::split_data("classification", X, y, train_proportion = 0.75)
train_X <- split$train$X
train_y <- split$train$y
test_X <- split$test$X
test_y <- split$test$y

## End(Not run)
```

stability_analysis *Conduct a stability analysis of the trees in a tree learner*

Description

Refer to the [documentation on tree stability](#) for more information.

Usage

```
stability_analysis(lnr, ...)
```

Arguments

lnr	The original learner
...	Additional arguments (refer to Julia documentation)

Details

Julia Equivalent: [IAI.StabilityAnalysis](#)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::stability_analysis(lnr, ...)
```

transform	<i>Impute missing values in a dataframe using a fitted imputation model</i>
-----------	---

Description

Julia Equivalent: `IAI.transform`

Usage

```
transform(lnr, X)
```

Arguments

lnr	The learner or grid to use for imputation
X	The features of the data.

Examples

```
## Not run: iai::transform(lnr, X)
```

transform_and_expand	<i>Transform features with a trained imputation learner and create adaptive indicator features to encode the missing pattern</i>
----------------------	--

Description

Julia Equivalent: `IAI.transform_and_expand`

Usage

```
transform_and_expand(lnr, X, ...)
```

Arguments

lnr	The learner to use for imputation.
X	The dataframe in which to impute missing values.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: lnr <- iai::transform_and_expand(lnr, X, type = "finite")
```

tree_plot	<i>Specify an interactive tree visualization of a tree learner</i>
-----------	--

Description

Julia Equivalent: `IAI.TreePlot`

Usage

```
tree_plot(lnr, ...)
```

Arguments

lnr	The learner to visualize.
...	Refer to the Julia documentation on advanced tree visualization for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::tree_plot(lnr)
```

tune_reward_kernel_bandwidth	<i>Conduct the reward kernel bandwidth tuning procedure for a range of starting bandwidths and return the final tuned values.</i>
------------------------------	---

Description

Julia Equivalent: `IAI.tune_reward_kernel_bandwidth`

Usage

```
tune_reward_kernel_bandwidth(lnr, ...)
```

Arguments

lnr	The learner to use for tuning the bandwidth
...	Refer to the Julia documentation for other parameters

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::tune_reward_kernel_bandwidth(lnr, ...)
```

variable_importance *Generic function for calculating variable importance*

Description

Generic function for calculating variable importance

Usage

```
variable_importance(obj, ...)
```

Arguments

obj	The object controlling which method is used
...	Arguments depending on the specific method used

```
variable_importance.learner
```

Generate a ranking of the variables in a learner according to their importance during training. The results are normalized so that they sum to one.

Description

Julia Equivalent: `IAI.variable_importance`

Usage

```
## S3 method for class 'learner'
variable_importance(obj, ...)
```

Arguments

obj	The learner to query.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::variable_importance(lnr, ...)
```

```
variable_importance.optimal_feature_selection_learner
```

Generate a ranking of the variables in an Optimal Feature Selection learner according to their importance during training. The results are normalized so that they sum to one.

Description

Julia Equivalent: `IAI.variable_importance`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'
variable_importance(obj, fit_index = NULL, ...)
```

Arguments

<code>obj</code>	The learner to query.
<code>fit_index</code>	The index of the cluster to use for prediction, if the <code>coordinated_sparsity</code> parameter on the learner is <code>TRUE</code> .
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::variable_importance(lnr, ...)
```

```
variable_importance.tree_learner
```

Generate a ranking of the variables in a tree learner according to their importance during training. The results are normalized so that they sum to one.

Description

Julia Equivalent: `IAI.variable_importance`

Usage

```
## S3 method for class 'tree_learner'
variable_importance(obj, ...)
```


Arguments

obj The learner to query.
... Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::variable_importance(lnr, ...)
```

variable_importance_similarity

Calculate similarity between the final tree in a tree learner with all trees in new tree learner using variable importance scores.

Description

Julia Equivalent: `IAI.variable_importance_similarity`

Usage

```
variable_importance_similarity(lnr, new_lnr, ...)
```

Arguments

lnr The original learner
new_lnr The new learner
... Additional arguments (refer to Julia documentation)

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: iai::variable_importance_similarity(lnr, new_lnr)
```

write_booster	<i>Write the internal booster saved in the learner to file</i>
---------------	--

Description

Julia Equivalent: `IAI.write_booster`

Usage

```
write_booster(filename, lnr)
```

Arguments

filename	Where to save the output.
lnr	The XGBoost learner with the booster to output.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::write_booster(file.path(tempdir(), "out.json"), lnr)
```

write_dot	<i>Output a learner in R <code>https://www.graphviz.org/content/dot-language/.dot</code> format</i>
-----------	--

Description

Julia Equivalent: `IAI.write_dot`

Usage

```
write_dot(filename, lnr, ...)
```

Arguments

filename	Where to save the output.
lnr	The learner to output.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::write_dot(file.path(tempdir(), "tree.dot"), lnr)
```

write_html

Generic function for writing interactive visualization to file

Description

Generic function for writing interactive visualization to file

Usage

```
write_html(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The object controlling which method is used
...	Arguments depending on the specific method used

write_html.abstract_visualization

Output an object as an interactive browser visualization in HTML format

Description

Julia Equivalent: `IAI.write_html`

Usage

```
## S3 method for class 'abstract_visualization'
write_html(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The object to output.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::write_html(file.path(tempdir(), "out.html"), lnr)
```

`write_html.roc_curve` *Output an ROC curve as an interactive browser visualization in HTML format*

Description

Julia Equivalent: `IAI.write_html`

Usage

```
## S3 method for class 'roc_curve'  
write_html(filename, obj, ...)
```

Arguments

<code>filename</code>	Where to save the output.
<code>obj</code>	The curve to output.
<code>...</code>	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 1.1 or higher.

Examples

```
## Not run: iai::write_html(file.path(tempdir(), "roc.html"), lnr)
```

`write_html.tree_learner` *Output a tree learner as an interactive browser visualization in HTML format*

Description

Julia Equivalent: `IAI.write_html`

Usage

```
## S3 method for class 'tree_learner'  
write_html(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The learner or grid to output.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Outputting a grid search requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::write_html(file.path(tempdir(), "tree.html"), lnr)
```

write_json	<i>Output a learner or grid in JSON format</i>
------------	--

Description

Julia Equivalent: `IAI.write_json`

Usage

```
write_json(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The learner or grid to output.
...	Refer to the Julia documentation for available parameters.

Examples

```
## Not run: iai::write_json(file.path(tempdir(), "out.json"), obj)
```

write_pdf	<i>Output a learner as a PDF image</i>
-----------	--

Description

Before using this function, either run `load_graphviz` or ensure that `Graphviz` is installed and on the system PATH

Usage

```
write_pdf(filename, lnr, ...)
```

Arguments

filename	Where to save the output.
lnr	The learner to output.
...	Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.write_pdf`

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::write_pdf(file.path(tempdir(), "tree.pdf"), lnr)
```

write_png	<i>Output a learner as a PNG image</i>
-----------	--

Description

Before using this function, either run `load_graphviz` or ensure that `Graphviz` is installed and on the system PATH

Usage

```
write_png(filename, lnr, ...)
```

Arguments

filename	Where to save the output.
lnr	The learner to output.
...	Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.write_png`

Examples

```
## Not run: iai::write_png(file.path(tempdir(), "tree.png"), lnr)
```

write_questionnaire *Generic function for writing interactive questionnaire to file*

Description

Generic function for writing interactive questionnaire to file

Usage

```
write_questionnaire(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The object controlling which method is used
...	Arguments depending on the specific method used

write_questionnaire.optimal_feature_selection_learner
Output an Optimal Feature Selection learner as an interactive questionnaire in HTML format

Description

Julia Equivalent: `IAI.write_questionnaire`

Usage

```
## S3 method for class 'optimal_feature_selection_learner'
write_questionnaire(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The learner or grid to output.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::write_questionnaire(file.path(tempdir(), "questionnaire.html"), lnr)
```

```
write_questionnaire.tree_learner
```

Output a tree learner as an interactive questionnaire in HTML format

Description

Julia Equivalent: `IAI.write_questionnaire`

Usage

```
## S3 method for class 'tree_learner'  
write_questionnaire(filename, obj, ...)
```

Arguments

filename	Where to save the output.
obj	The learner or grid to output.
...	Refer to the Julia documentation for available parameters.

IAI Compatibility

Outputting a grid search requires IAI version 2.0 or higher.

Examples

```
## Not run: iai::write_questionnaire(file.path(tempdir(), "questionnaire.html"), lnr)
```

write_svg	<i>Output a learner as a SVG image</i>
-----------	--

Description

Before using this function, either run `load_graphviz` or ensure that `Graphviz` is installed and on the system PATH

Usage

```
write_svg(filename, lnr, ...)
```

Arguments

filename	Where to save the output.
lnr	The learner to output.
...	Refer to the Julia documentation for available parameters.

Details

Julia Equivalent: `IAI.write_svg`

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: iai::write_svg(file.path(tempdir(), "tree.svg"), lnr)
```

xgboost_classifier	<i>Learner for training XGBoost models for classification problems</i>
--------------------	--

Description

Julia Equivalent: `IAI.XGBoostClassifier`

Usage

```
xgboost_classifier(...)
```

Arguments

...	Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.
-----	--

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::xgboost_classifier()
```

xgboost_regressor *Learner for training XGBoost models for regression problems*

Description

Julia Equivalent: `IAI.XGBoostRegressor`

Usage

```
xgboost_regressor(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.1 or higher.

Examples

```
## Not run: lnr <- iai::xgboost_regressor()
```

xgboost_survival_learner *Learner for training XGBoost models for survival problems*

Description

Julia Equivalent: `IAI.XGBoostSurvivalLearner`

Usage

```
xgboost_survival_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 2.2 or higher.

Examples

```
## Not run: lnr <- iai::xgboost_survival_learner()
```

zero_imputation_learner

Learner for conducting zero-imputation

Description

Julia Equivalent: `IAI.ZeroImputationLearner`

Usage

```
zero_imputation_learner(...)
```

Arguments

... Use keyword arguments to set parameters on the resulting learner. Refer to the Julia documentation for available parameters.

IAI Compatibility

Requires IAI version 3.0 or higher.

Examples

```
## Not run: lnr <- iai::zero_imputation_learner()
```

Index

acquire_license, 7
add_julia_processes, 7
all_treatment_combinations, 8
apply, 8
apply_nodes, 9
as.mixeddata, 9
autoplot.grid_search, 10, 87
autoplot.roc_curve, 11
autoplot.similarity_comparison, 11
autoplot.stability_analysis, 12

categorical_classification_reward_estimator, 13
categorical_regression_reward_estimator, 13
categorical_reward_estimator, 14
categorical_reward_estimator(), 115
categorical_survival_reward_estimator, 15
cleanup_installation, 15
clone, 16
convert_treatments_to_numeric, 16
copy_splits_and_refit_leaves, 17

decision_path, 17
delete_rich_output_param, 18

equal_propensity_estimator, 18

fit, 19
fit.grid_search, 19
fit.imputation_learner, 20, 25
fit.learner, 21
fit.optimal_feature_selection_learner, 21
fit_and_expand, 22
fit_cv, 23
fit_predict, 23
fit_predict.categorical_reward_estimator, 24
fit_predict.numeric_reward_estimator, 24
fit_transform, 25
fit_transform_cv, 26

get_best_params, 27
get_classification_label, 27
get_classification_label.classification_tree_learner, 28
get_classification_label.classification_tree_multi_learner, 28
get_classification_proba, 29
get_classification_proba.classification_tree_learner, 29
get_classification_proba.classification_tree_multi_learner, 30
get_cluster_assignments, 30
get_cluster_details, 31
get_cluster_distances, 32
get_depth, 32
get_estimation_densities, 33
get_features_used, 33
get_grid_result_details, 34
get_grid_result_summary, 35
get_grid_results, 34
get_learner, 35
get_lower_child, 36
get_machine_id, 36
get_num_fits, 37
get_num_fits.glmnetcv_learner, 37
get_num_fits.optimal_feature_selection_learner, 38
get_num_nodes, 38
get_num_samples, 39
get_params, 39
get_parent, 40
get_policy_treatment_outcome, 40
get_policy_treatment_outcome_standard_error, 41
get_policy_treatment_rank, 41

- get_prediction_constant, 42
- get_prediction_constant.glmnetcv_learner, 42
- get_prediction_constant.optimal_feature_selection_learner, 43
- get_prediction_weights, 44
- get_prediction_weights.glmnetcv_learner, 44
- get_prediction_weights.optimal_feature_selection_learner, 45
- get_prescription_treatment_rank, 45
- get_regression_constant, 46
- get_regression_constant.classification_tree_learner, 46
- get_regression_constant.classification_tree_multi_learner, 47
- get_regression_constant.prescription_tree_learner, 48
- get_regression_constant.regression_tree_learner, 48
- get_regression_constant.regression_tree_multi_learner, 49
- get_regression_constant.survival_tree_learner, 49
- get_regression_weights, 50
- get_regression_weights.classification_tree_learner, 50
- get_regression_weights.classification_tree_multi_learner, 51
- get_regression_weights.prescription_tree_learner, 52
- get_regression_weights.regression_tree_learner, 52
- get_regression_weights.regression_tree_multi_learner, 53
- get_regression_weights.survival_tree_learner, 53
- get_rich_output_params, 54
- get_roc_curve_data, 54
- get_split_categories, 55
- get_split_feature, 56
- get_split_threshold, 56
- get_split_weights, 57
- get_stability_results, 57
- get_survival_curve, 58, 58, 96
- get_survival_curve_data, 58
- get_survival_expected_time, 59
- get_survival_hazard, 59
- get_train_errors, 60
- get_tree, 60
- get_upper_child, 61
- glmnetcv_classifier, 62, 102, 118
- glmnetcv_regressor, 62
- glmnetcv_survival_learner, 63, 95, 97
- grid_search, 19, 63
- install_julia, 15, 66
- install_system_image, 15, 67
- is_categorical_split, 68
- is_hyperplane_split, 68
- is_leaf, 69
- is_mixed_ordinal_split, 69
- is_mixed_parallel_split, 70
- is_ordinal_split, 70
- is_parallel_split, 71
- load_graphviz, 71, 142, 145
- mean_imputation_learner, 72
- missing_goes_lower, 72
- multi_questionnaire, 73
- multi_questionnaire.default, 73
- multi_questionnaire.grid_search, 74
- multi_tree_plot, 75
- multi_tree_plot.default, 75
- multi_tree_plot.grid_search, 76
- numeric_classification_reward_estimator, 77
- numeric_regression_reward_estimator, 77
- numeric_reward_estimator, 78
- numeric_survival_reward_estimator, 79
- opt_knn_imputation_learner, 86
- opt_svm_imputation_learner, 86
- opt_tree_imputation_learner, 87
- optimal_feature_selection_classifier, 79
- optimal_feature_selection_regressor, 80
- optimal_tree_classifier, 81
- optimal_tree_multi_classifier, 81

- optimal_tree_multi_regressor, 82
- optimal_tree_policy_maximizer, 82
- optimal_tree_policy_minimizer, 83
- optimal_tree_prescription_maximizer, 83
- optimal_tree_prescription_minimizer, 84
- optimal_tree_regressor, 84
- optimal_tree_survival_learner, 85
- optimal_tree_survival_learner(), 85
- optimal_tree_survivor, 85

- plot.grid_search, 87
- plot.roc_curve, 88
- plot.similarity_comparison, 88
- plot.stability_analysis, 89
- predict, 90
- predict.categorical_reward_estimator, 90
- predict.glmnetcv_learner, 91
- predict.numeric_reward_estimator, 91
- predict.optimal_feature_selection_learner, 92
- predict.supervised_learner, 93
- predict.supervised_multi_learner, 93
- predict.survival_learner, 58, 94, 96
- predict_expected_survival_time, 95
- predict_expected_survival_time.glmnetcv_survival_learner, 95
- predict_expected_survival_time.survival_curve, 96
- predict_expected_survival_time.survival_learner, 96
- predict_hazard, 97
- predict_hazard.glmnetcv_survival_learner, 97
- predict_hazard.survival_learner, 98
- predict_outcomes, 99
- predict_outcomes.policy_learner, 99
- predict_outcomes.prescription_learner, 100
- predict_proba, 100
- predict_proba.classification_learner, 101
- predict_proba.classification_multi_learner, 101
- predict_proba.glmnetcv_classifier, 102
- predict_reward, 103
- predict_reward.categorical_reward_estimator, 103
- predict_reward.numeric_reward_estimator, 104
- predict_shap, 104
- predict_treatment_outcome, 105
- predict_treatment_outcome_standard_error, 106
- predict_treatment_rank, 106
- print_path, 107
- prune_trees, 108

- questionnaire, 108
- questionnaire.optimal_feature_selection_learner, 109
- questionnaire.tree_learner, 109

- rand_imputation_learner, 112
- random_forest_classifier, 110
- random_forest_regressor, 110
- random_forest_survival_learner, 111
- read_json, 112
- refit_leaves, 113
- release_license, 113
- reset_display_label, 114
- resume_from_checkpoint, 114
- reward_estimator, 115
- roc_curve, 115, 127
- roc_curve.classification_learner, 54, 116
- roc_curve.classification_multi_learner, 116
- roc_curve.default, 117
- roc_curve.glmnetcv_classifier, 118

- score, 118
- score.categorical_reward_estimator, 119
- score.default, 119
- score.glmnetcv_learner, 120
- score.numeric_reward_estimator, 121
- score.optimal_feature_selection_learner, 121
- score.supervised_learner, 122
- score.supervised_multi_learner, 123
- set_display_label, 123
- set_julia_seed, 124
- set_params, 124
- set_reward_kernel_bandwidth, 125

set_rich_output_param, 125
set_threshold, 126
show_in_browser, 126
show_in_browser.abstract_visualization,
127
show_in_browser.roc_curve, 127
show_in_browser.tree_learner, 128
show_questionnaire, 128
show_questionnaire.optimal_feature_selection_learner,
129
show_questionnaire.tree_learner, 129
similarity_comparison, 130
single_knn_imputation_learner, 131
split_data, 131
stability_analysis, 132

transform, 25, 133
transform_and_expand, 133
tree_plot, 134
tune_reward_kernel_bandwidth, 134

variable_importance, 135
variable_importance.learner, 135
variable_importance.optimal_feature_selection_learner,
136
variable_importance.tree_learner, 136
variable_importance_similarity, 137

write_booster, 138
write_dot, 138
write_html, 139
write_html.abstract_visualization, 139
write_html.roc_curve, 140
write_html.tree_learner, 140
write_json, 141
write_pdf, 142
write_png, 142
write_questionnaire, 143
write_questionnaire.optimal_feature_selection_learner,
143
write_questionnaire.tree_learner, 144
write_svg, 145

xgboost_classifier, 145
xgboost_regressor, 146
xgboost_survival_learner, 146

zero_imputation_learner, 147