

# Package ‘icesDatras’

May 8, 2023

**Version** 1.4.1

**Title** DATRAS Trawl Survey Database Web Services

**Imports** utils

**Suggests** icesVocab

**Description** R interface to access the web services of the ICES (International Council for the Exploration of the Sea) DATRAS trawl survey database <<https://datras.ices.dk/WebServices/Webservices.aspx>>.

**License** GPL (>= 2)

**URL** <https://datras.ices.dk/WebServices/Webservices.aspx>,  
<https://github.com/ices-tools-prod/icesDatras>

**BugReports** <https://github.com/ices-tools-prod/icesDatras/issues>

**RoxygenNote** 7.2.3

**Encoding** UTF-8

**NeedsCompilation** no

**Author** Colin Millar [aut, cre],  
Cecilia Kvaavik [aut],  
Adriana Villamor [aut],  
Scott Large [aut],  
Arni Magnusson [aut],  
Vaishav Soni [ctb]

**Maintainer** Colin Millar <[colin.millar@ices.dk](mailto:colin.millar@ices.dk)>

**Repository** CRAN

**Date/Publication** 2023-05-08 09:40:05 UTC

## R topics documented:

icesDatras-package . . . . .	2
checkSurveyOK . . . . .	3
checkSurveyYearOK . . . . .	4
checkSurveyYearQuarterOK . . . . .	5

getCAdata . . . . .	6
getCatchWgt . . . . .	7
getCPUEAge . . . . .	8
getCPUELength . . . . .	9
getDATRAS . . . . .	10
getDatrasDataOverview . . . . .	11
getFlexFile . . . . .	11
getHHdata . . . . .	12
getHLdata . . . . .	13
getIndices . . . . .	14
getLTassessment . . . . .	15
getSurveyList . . . . .	16
getSurveyYearList . . . . .	16
getSurveyYearQuarterList . . . . .	17

<b>Index</b>	<b>19</b>
--------------	-----------

---

icesDatras-package      *DATRAS Trawl Survey Database Web Services*

---

## Description

R interface to access the web services of the ICES DATRAS trawl survey database.

## Details

*Exchange data:*

<a href="#">getHHdata</a>	haul data
<a href="#">getHLdata</a>	length-based data
<a href="#">getCAdata</a>	age-based data
<a href="#">getDATRAS</a>	exchange data

*Catch weights:*

<a href="#">getCatchWgt</a>	catch weights
-----------------------------	---------------

*Survey indices:*

<a href="#">getIndices</a>	survey indices
----------------------------	----------------

*Overview of available data:*

<a href="#">getSurveyList</a>	surveys
<a href="#">getSurveyYearList</a>	years
<a href="#">getSurveyYearQuarterList</a>	quarters
<a href="#">getDatrasDataOverview</a>	surveys, years, and quarters

*Basic queries (thin web service wrappers):*

getCAdata, getHHdata, getHLdata, getIndices, getSurveyList, getSurveyYearList, getSurveyYearQuarterList

*Derived queries (combining web services with R computations):*

getCatchWgt, getDatrasDataOverview, getDATRAS

### Author(s)

Colin Millar, Scott Large, and Arni Magnusson.

### References

ICES DATRAS database: <http://datras.ices.dk>.

ICES DATRAS web services: <https://datras.ices.dk/WebServices/Webservices.aspx>.

---

checkSurveyOK	<i>Check that a survey name is in the database</i>
---------------	--

---

### Description

Checks a survey name against a list of all survey names in the DATRAS database. If the name is not matched it puts up a message showing the available survey names.

### Usage

```
checkSurveyOK(survey)
```

### Arguments

survey            the survey acronym, e.g. NS-IBTS.

### Value

logical.

### See Also

[checkSurveyYearOK](#) and [getSurveyYearQuarterList](#) also perform checks against the DATRAS database.

[icesDatras-package](#) gives an overview of the package.

### Examples

```
## Not run:  
checkSurveyOK(survey = "ROCKALL")  
checkSurveyOK(survey = "NOTALL")  
  
## End(Not run)
```

---

checkSurveyYearOK	<i>Check that a survey and year combination is in the database</i>
-------------------	--

---

### Description

Checks a year and/or survey name against a list of all survey year combinations in the DATRAS database. If the combination is not matched it puts up a message showing the available options.

### Usage

```
checkSurveyYearOK(survey, year, checksurvey = TRUE)
```

### Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
checksurvey	logical, should the survey name also be checked.

### Value

logical.

### See Also

[checkSurveyOK](#) and [checkSurveyYearQuarterOK](#) also perform checks against the DATRAS database.  
[icesDatras-package](#) gives an overview of the package.

### Examples

```
## Not run:  
checkSurveyYearOK(survey = "ROCKALL", 2015)  
checkSurveyYearOK(survey = "ROCKALL", 2000)  
checkSurveyYearOK(survey = "NOTALL", 2000)  
  
## End(Not run)
```

---

`checkSurveyYearQuarterOK`*Check that a survey, year and quarter combination is in the database*

---

### Description

Checks a quarter and/or year and/or survey name against a list of all survey year quarter combinations in the DATRAS database. If the combination is not matched it puts up a message showing the available options.

### Usage

```
checkSurveyYearQuarterOK(  
  survey,  
  year,  
  quarter,  
  checksurvey = TRUE,  
  checkyear = TRUE  
)
```

### Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.
checksurvey	logical, should the survey name also be checked.
checkyear	logical, should the year also be checked.

### Value

logical.

### See Also

[checkSurveyOK](#) and [checkSurveyYearOK](#) also perform checks against the DATRAS database.  
[icesDatras-package](#) gives an overview of the package.

### Examples

```
## Not run:  
checkSurveyYearQuarterOK(survey = "ROCKALL", 2015, 3)  
checkSurveyYearQuarterOK(survey = "ROCKALL", 2015, 1)  
checkSurveyYearQuarterOK(survey = "ROCKALL", 2000, 1)  
checkSurveyYearQuarterOK(survey = "NOTALL", 2000, 1)  
  
# be careful of unexpected results with checksurvey and checkyear!  
checkSurveyYearQuarterOK(survey = "NOTALL", 2000, 1, checksurvey=FALSE)
```

```
## End(Not run)
```

---

getCAdata

*Get Age-Based Data*

---

### Description

Get age-based data such as sex, maturity, and age counts per length of sampled species.

### Usage

```
getCAdata(survey, year, quarter)
```

### Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

### Value

A data frame.

### Author(s)

Colin Millar.

### See Also

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHHdata](#) and [getHLdata](#) get haul data and length-based data.

[icesDatras-package](#) gives an overview of the package.

### Examples

```
## Not run:  
cadata <- getCAdata(survey = "ROCKALL", year = 2002, quarter = 3)  
str(cadata)  
  
## End(Not run)
```

---

`getCatchWgt`*Get Catch Weights*

---

**Description**

Calculate the total reported catch weight by species and haul.

**Usage**

```
getCatchWgt(survey, years, quarters, aphia)
```

**Arguments**

<code>survey</code>	the survey acronym e.g. NS-IBTS.
<code>years</code>	a vector of years of the survey, e.g. <code>c(2010, 2012)</code> or <code>2005:2010</code> .
<code>quarters</code>	a vector of quarters of the year the survey took place, e.g. <code>c(1, 4)</code> or <code>1:4</code> .
<code>aphia</code>	a vector of Aphia species codes defined in the WoRMS database, e.g. <code>c(126436, 1264374)</code> .

**Value**

A data frame.

**Note**

The `icesVocab` package provides `findAphia`, a function to look up Aphia species codes.

**See Also**

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:
getCatchWgt(survey = "ROCKALL", years = 2002, quarters = 3, aphia = 126437)

# look up specific species
aphia <- icesVocab::findAphia(c("cod", "haddock"))
cwt <- getCatchWgt(survey = "ROCKALL", years = 2002, quarters = 3, aphia = aphia)

## End(Not run)
```

---

getCPUEAge	<i>Get CPUE per Age per Haul per Hour for a given Survey, year and Quarter</i>
------------	--

---

**Description**

Get CPUE per Age per Haul per Hour for a given Survey, year and Quarter

**Usage**

```
getCPUEAge(survey, year, quarter)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of interest, e.g. 1

**Value**

A data frame.

**Author(s)**

Adriana Villamor.

**See Also**

[getHHdata](#) and [getCadata](#) get haul data and age-based data., and [getIndices](#), and [getCPUELength](#).  
[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getCPUEperAge(survey = "NS-IBTS", year = 2018, quarter = 1)  
  
## End(Not run)
```



---

getCPUELength	<i>Get CPUE per Length per Haul per Hour for a given Survey, year and Quarter</i>
---------------	---

---

**Description**

Get CPUE per Length per Haul per Hour for a given Survey, year and Quarter

**Usage**

```
getCPUELength(survey, year, quarter)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of interest, e.g. 1

**Value**

A data frame.

**Author(s)**

Adriana Villamor.

**See Also**

[getHHdata](#) and [getCAdata](#) get haul data and age-based data., and [getIndices](#), and [getCPUEAge](#).  
[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getCPUELength(survey = "NS-IBTS", year = 2018, quarter = 1)  
  
## End(Not run)
```

---

`getDATRAS`*Get Any DATRAS Data*

---

**Description**

This function combines the functionality of `getHHdata`, `getHLdata`, and `getCAdata`. It supports querying many years and quarters in one function call.

**Usage**

```
getDATRAS(record = "HH", survey, years, quarters)
```

**Arguments**

<code>record</code>	the data type required: "HH" haul data, "HL" length-based data, "CA" age-based data.
<code>survey</code>	the survey acronym e.g. NS-IBTS.
<code>years</code>	a vector of years of the survey, e.g. <code>c(2010, 2012)</code> or <code>2005:2010</code> .
<code>quarters</code>	a vector of quarters of the year the survey took place, i.e. <code>c(1, 4)</code> or <code>1:4</code> .

**Value**

A data frame.

**Author(s)**

Scott Large and Colin Millar.

**See Also**

[getHHdata](#), [getHLdata](#), and [getCAdata](#) get haul data, length-based data, and age-based data.  
[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
hhdata <- getDATRAS(record = "HH", survey = "ROCKALL", years = 2002, quarters = 3)  
hlldata <- getDATRAS(record = "HL", survey = "ROCKALL", years = 2002, quarters = 3)  
cadata <- getDATRAS(record = "CA", survey = "ROCKALL", years = 2002, quarters = 3)  
  
## End(Not run)
```

---

getDatrasDataOverview *Summarize Data Availability*

---

**Description**

Evaluate a presence-absence table for each survey with '1' where there is data and '0' (printed as '.') otherwise.

**Usage**

```
getDatrasDataOverview(surveys = NULL, long = TRUE)
```

**Arguments**

surveys            a vector of survey names, or NULL to process all surveys.  
long                whether tables should have year as row names (default) or column names.

**Value**

A list of tables.

**See Also**

[getSurveyList](#), [getSurveyYearList](#), and [getSurveyYearQuarterList](#) also list available data.  
[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getDatrasDataOverview(surveys = "ROCKALL", long = FALSE)  
  
## End(Not run)
```

---

getFlexFile            *Get Flex File*

---

**Description**

Get all information in HH plus estimates of Door Spread, Wing Spread and Swept Area per square km. Only available for NS-IBTS survey.

**Usage**

```
getFlexFile(survey, year, quarter)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

**Value**

A data frame.

**Author(s)**

Adriana Villamor.

**See Also**

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHHdata](#) get haul data

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:
flex <- getFlexFile(survey = "NS-IBTS", year = 2020, quarter = 1)
str(flex)

# error checking examples:
flex <- getFlexFile(survey = "NS-IBTS", year = 2016, quarter = 1)
flex <- getFlexFile(survey = "NS-IBTS", year = 2030, quarter = 1)
flex <- getFlexFile(survey = "NS-IBTS", year = 2016, quarter = 6)

## End(Not run)
```

---

getHHdata

*Get Haul Data*

---

**Description**

Get haul data such as position, depth, sampling method, etc.

**Usage**

```
getHHdata(survey, year, quarter)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

**Value**

A data frame.

**Author(s)**

Colin Millar.

**See Also**

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHLdata](#) and [getCAdata](#) get length-based data and age-based data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:
hhdata <- getHHdata(survey = "ROCKALL", year = 2002, quarter = 3)
str(hhdata)

# error checking examples:
hhdata <- getHHdata(survey = "NS-IBTS", year = 2016, quarter = 1)
hhdata <- getHHdata(survey = "NS-IBTS", year = 2030, quarter = 1)
hhdata <- getHHdata(survey = "NS-IBTS", year = 2016, quarter = 6)

## End(Not run)
```

---

getHLdata

*Get Length-Based Data*

---

**Description**

Get length-based information such as measured length, individual counts, and sub-factors of sampled species.

**Usage**

```
getHLdata(survey, year, quarter)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

**Value**

A data frame.

**See Also**

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHHdata](#) and [getCAdata](#) get haul data and age-based data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:
hldata <- getHLdata(survey = "ROCKALL", year = 2002, quarter = 3)
str(hldata)

## End(Not run)
```

---

getIndices

*Get Survey Indices*


---

**Description**

Get age based indices of abundance by species, survey and year.

**Usage**

```
getIndices(survey, year, quarter, species)
```

**Arguments**

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.
species	the aphia species code for the species of interest.

**Value**

A data frame.

**Note**

The **icesAdvice** package provides `findAphia`, a function to look up Aphia species codes.

**See Also**

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHHdata](#) and [getCAdata](#) get haul data and age-based data.

[icesDatras-package](#) gives an overview of the package.

## Examples

```
## Not run:
haddock_aphia <- icesVocab::findAphia("haddock")
index <- getIndices(survey = "NS-IBTS", year = 2002, quarter = 3, species = haddock_aphia)
str(index)

## End(Not run)
```

---

getLTassessment	<i>Get Litter assessment output</i>
-----------------	-------------------------------------

---

## Description

Get Litter assessment output by survey, year and quarter. The raw data are also included in this file.

## Usage

```
getLTassessment(survey, year, quarter)
```

## Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

## Value

A data frame.

## Note

The **icesAdvice** package provides `findAphia`, a function to look up Aphia species codes.

## See Also

[getDATRAS](#) supports querying many years and quarters in one function call.  
[getHHdata](#) and [getCAdata](#) get haul data and age-based data.  
[icesDatras-package](#) gives an overview of the package.

## Examples

```
## Not run:
index <- getLTassessment(survey = "NS-IBTS", year = 2002, quarter = 3)
str(index)

## End(Not run)
```

---

getSurveyList      *Get a List of All Surveys*

---

**Description**

Get a list of all survey acronyms.

**Usage**

```
getSurveyList()
```

**Value**

A character vector.

**Author(s)**

Colin Millar.

**See Also**

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getSurveyList()  
  
## End(Not run)
```

---

getSurveyYearList      *Get a List of Survey Years*

---

**Description**

Get a list of all data years for a given survey.

**Usage**

```
getSurveyYearList(survey)
```

**Arguments**

survey      the survey acronym, e.g. NS-IBTS.



**Value**

A numeric vector.

**Author(s)**

Colin Millar.

**See Also**

[getSurveyList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getSurveyYearList(survey = "ROCKALL")  
  
## End(Not run)
```

---

`getSurveyYearQuarterList`  
*Get a List of Quarters*

---

**Description**

Get a list of quarters available for a given survey and year.

**Usage**

```
getSurveyYearQuarterList(survey, year)
```

**Arguments**

survey            the survey acronym, e.g. NS-IBTS.  
year             the year of the survey, e.g. 2010.

**Value**

A numeric vector.

**Author(s)**

Colin Millar.

**See Also**

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

**Examples**

```
## Not run:  
getSurveyYearQuarterList(survey = "ROCKALL", year = 2002)  
  
## End(Not run)
```

# Index

checkSurveyOK, [3](#), [4](#), [5](#)  
checkSurveyYearOK, [3](#), [4](#), [5](#)  
checkSurveyYearQuarterOK, [4](#), [5](#)

getCAdata, [2](#), [6](#), [8–10](#), [13–15](#)  
getCatchWgt, [2](#), [7](#)  
getCPUEAge, [8](#), [9](#)  
getCPUELength, [8](#), [9](#)  
getDATRAS, [2](#), [6](#), [10](#), [12–15](#)  
getDatrasDataOverview, [2](#), [7](#), [11](#), [16–18](#)  
getFlexFile, [11](#)  
getHHdata, [2](#), [6](#), [8–10](#), [12](#), [12](#), [14](#), [15](#)  
getHLdata, [2](#), [6](#), [10](#), [13](#), [13](#)  
getIndices, [2](#), [8](#), [9](#), [14](#)  
getLTassessment, [15](#)  
getSurveyList, [2](#), [11](#), [16](#), [17](#)  
getSurveyYearList, [2](#), [7](#), [11](#), [16](#), [16](#), [18](#)  
getSurveyYearQuarterList, [2](#), [3](#), [7](#), [11](#), [16](#),  
[17](#), [17](#), [18](#)

icesDatras (icesDatras-package), [2](#)  
icesDatras-package, [2](#)